

EZ-Base Data Model

for use with Invantive SQL

24.0

invantive
the SQL company

Auteursrecht

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Alle rechten voorbehouden. Niets uit deze uitgave mag worden verveelvoudigd, opgeslagen in een geautomatiseerd gegevensbestand, of openbaar gemaakt, in enige vorm of op enige wijze, hetzij elektronisch, mechanisch, door fotokopieen, opnamen, of enig andere manier, zonder voorafgaande schriftelijke toestemming van de uitgever.

Ondanks alle aan de samenstelling van deze tekst bestede zorg, kan noch de schrijver noch de uitgever aansprakelijkheid aanvaarden voor eventuele schade, die zou kunnen voortvloeien uit enige fout, die in deze uitgave zou kunnen voorkomen.

Deze handleiding is een naslagwerk bedoeld om het gebruik te verduidelijken. Indien gegevens in de voorbeeldafbeeldingen overeenkomen met gegevens in uw systeem, dan is de overeenkomst toevallig.

Belangrijke Informatie over Veiligheid en Gebruik

Beoogd gebruik en beperkingen: Deze software, ontwikkeld door Invantive, is ontworpen om een verscheidenheid aan zakelijke en informatietechnologische gegevensverwerkingsfuncties te ondersteunen, zoals boekhouding, financiÃ«le rapportage en verkooprapportage. Het is belangrijk om op te merken dat deze software niet is ontworpen, getest of goedgekeurd voor gebruik in omgevingen waar een storing of defect kan leiden tot levensbedreigende situaties, ernstige fysieke schade of milieuschade. Dit omvat, maar is niet beperkt tot:

- Nucleaire faciliteiten: de software mag niet worden gebruikt voor operaties of functies die verband houden met de controle, het onderhoud of de werking van nucleaire faciliteiten.
- Defensie en militaire toepassingen: deze software is niet geschikt voor gebruik in defensiegerelateerde toepassingen, inclusief maar niet beperkt tot wapenbeheer, militaire strategieplanning of andere aspecten van nationale defensie.
- Luchtvaart: de software is niet bedoeld voor gebruik in de bediening, navigatie of communicatiesystemen van vliegtuigen of luchtverkeersleidingomgevingen.
- Gezondheidszorg en medicijnproductie: deze software mag niet worden gebruikt voor de werking van medische apparaten, de analyse van patiÃ«ntgegevens voor kritieke gezondheidsbeslissingen, farmaceutische productie of medisch onderzoek waarbij een storing of defect de gezondheid van de patiÃ«nt kan beÃ¯nvloeden.
- Verwerking van chemische en/of gevaarlijke stoffen: deze software is niet bedoeld voor het beheer, de controle of de operationele aspecten van chemische fabrieken of faciliteiten voor de verwerking van chemische en/of gevaarlijke stoffen. Elke storing in de software die in deze omgevingen wordt gebruikt kan leiden tot gevaarlijke chemische lozingen, explosies of milieurampen.
- Transport- en verkeerscontrolesystemen: de software mag niet worden gebruikt voor de besturing, bediening of het beheer van transportsystemen, waaronder de besturing van spoorwegsignalen, metrosystemen of verkeerslichten. Storingen in dergelijke kritieke systemen kunnen tot ernstige ongelukken leiden en de openbare veiligheid in gevaar brengen.
- Energienetwerk- en nutsbesturingssystemen: deze software is niet ontworpen voor de besturing of bediening van energienetwerksystemen, waaronder elektrische onderstations, besturingssystemen voor hernieuwbare energie of besturingssystemen van waternutsbedrijven. Het falen van software op deze gebieden kan leiden tot aanzienlijke stroomonderbrekingen, onderbrekingen in de watervoorziening of andere storingen in openbare voorzieningen, waardoor gemeenschappen in gevaar kunnen komen en grote schade kan worden aangericht.
- Andere omgevingen met een hoog risico: alle andere kritieke infrastructuren en omgevingen waar een storing in de software kan leiden tot aanzienlijke schade aan personen of het milieu.

Gebruikersverantwoordelijkheid: gebruikers moeten ervoor zorgen dat ze het beoogde gebruik van de software begrijpen en de software niet gebruiken in een omgeving die buiten het beoogde doel valt. Het is de verantwoordelijkheid van de gebruiker om de geschiktheid van de software voor de beoogde toepassing te beoordelen, vooral in scenario's die een risico kunnen vormen voor leven, gezondheid en/of milieu.
Afwijzing van aansprakelijkheid: Invantive wijst elke verantwoordelijkheid af voor schade, letsel of welke gevolgen die voortvloeien uit het gebruik of misbruik van deze software in verboden en/of onbedoelde toepassingen.

Inhoud

1 SQL Driver for EZ-base 1

2 SQL Driver Attributes for EZ-base 2

3 Schema: 5

3.1 Tables 5

3.1.1 WebshopArticleGroupArticleAssets: EZ-base Webshop Article Group Article Assets 5
3.1.2 WebshopArticleGroupArticleEtimFeatures: EZ-base Webshop Article Group Article ETIM Features 8
3.1.3 WebshopArticleGroupArticleEtimFeatureValues: EZ-base Webshop Article Group Article ETIM Feature Values
3.1.4 WebshopArticleGroupArticleNormalizedProperties: EZ-base Webshop Article Group Article Normalized Properties
3.1.5 WebshopArticleGroupArticleNormalizedPropertyValues: EZ-base Webshop Article Group Article Normalized Property Values
3.1.6 WebshopArticleGroupArticleOwnFreeFields: EZ-base Webshop Article Group Article Own Free Fields 23
3.1.7 WebshopArticleGroupArticleOwnPersonalProperties: EZ-base Webshop Article Group Article Own Personal Properties
3.1.8 WebshopArticleGroupArticleOwnRelatedArticles: EZ-base Webshop Article Group Article Own Related Articles
3.1.9 WebshopArticleGroupArticleOwnSelections: EZ-base Webshop Article Group Article Own Selections . 35
3.1.10 WebshopArticleGroupArticleOwnSynonyms: EZ-base Webshop Article Group Article Own Synonyms . 39
3.1.11 WebshopArticleGroupArticleProductDetailPrices: EZ-base Webshop Article Group Article Prices 43
3.1.12 WebshopArticleGroupArticleRelatedArticles: EZ-base Webshop Article Group Article Related Articles .. 47
3.1.13 WebshopArticleGroupArticles: EZ-base Webshop Article Group Articles 51
3.1.14 WebshopArticleGroupArticleSupplierPropertyAssets: EZ-base Webshop Article Group Article Supplier Property Assets
3.1.15 WebshopArticleGroupArticleSupplierPropertyValues: EZ-base Webshop Article Group Article Supplier Property Values
3.1.16 WebshopArticleGroupArticleTablePropertyAssets: EZ-base Webshop Article Group Article Table Property Assets
3.1.17 WebshopArticleGroupArticleTablePropertyValues: EZ-base Webshop Article Group Article Table Property Values
3.1.18 WebshopArticleGroupAssets: EZ-base Webshop Article Group Assets 71
3.1.19 WebshopArticleGroupBluePencilDataTableAssets: EZ-base Webshop Article Group Edit Data Table Assets
3.1.20 WebshopArticleGroupBluePencilDataTableGroupHeaders: EZ-base Webshop Article Group Edit Data Table Grouped Headers
3.1.21 WebshopArticleGroupBluePencilDataTableHeaders: EZ-base Webshop Article Group Edit Data Table Headers
3.1.22 WebshopArticleGroupClassifications: EZ-base Webshop Article Group Classifications 83
3.1.23 WebshopArticleGroupNormalizedHeaders: EZ-base Webshop Article Group Normalized Headers 85
3.1.24 WebshopArticleGroups: EZ-base Webshop Article Groups 88
3.1.25 WebshopArticleGroupSpecificationProperties: EZ-base Webshop Article Group Specification Properties 90
3.1.26 WebshopArticleGroupSpecifications: EZ-base Webshop Article Group Specifications 92
3.1.27 WebshopArticleGroupSubGroups: EZ-base Webshop Article Group Sub Groups 95
3.1.28 WebshopArticleGroupSupplierHeaderAssets: EZ-base Webshop Article Group Supplier Header Assets 97
3.1.29 WebshopArticleGroupSupplierHeaders: EZ-base Webshop Article Group Supplier Headers 101
3.1.30 WebshopAssetCategories: EZ-base Webshop Asset Categories 103
3.1.31 WebshopClassificationNodeAssets: EZ-base Webshop Classification Node Assets 104
3.1.32 WebshopClassificationNodePersonalHeaders: EZ-base Webshop Classification Node Personal Headers 106
3.1.33 WebshopClassificationNodes: EZ-base Webshop Classification Nodes 108
3.1.34 WebshopClassificationNodeSynonyms: EZ-base Webshop Classification Node Synonyms 109
3.1.35 WebshopClassifications: EZ-base Webshop Classifications 111
3.1.36 WebshopEtimGroupClasses: EZ-base Webshop ETIM Group Classes 112
3.1.37 WebshopEtimGroupClassFeatures: EZ-base Webshop ETIM Group Class Features 113
3.1.38 WebshopEtimGroupClassSynonyms: EZ-base Webshop ETIM Group Class Synonyms 114
3.1.39 WebshopEtimGroups: EZ-base Webshop ETIM Groups 116
3.1.40 Webshops: EZ-base Webshops 117

4 Schema: CodeValues 117

4.1 Tables 117

4.1.1 Acronyms: EZ-base Domain Acronyms 117
4.1.2 EtimFeatureTypes: EZ-base Domain EtimFeatureTypes 118

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Index 120

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

1 SQL Driver for EZ-base

Invantive SQL is the fastest, easiest and most reliable way to exchange data with EZ-base.

Use the "Search" option in the left menu to search for a specific term such as the table or column description. When you already know the term, please use the "Index" option. When you can't find the information needed, please click on the Chat button at the bottom or place your question in the user community. Other users or Invantive Support will try to help you to our best.

Product catalog.

The EZ-base driver covers 42 tables and 1897 columns.

EZ-base Clients

Invantive SQL is available on many user interfaces ("clients" in traditional server-client paradigma). All Invantive SQL statements can be exchanged with a close to 100% compatibility across all clients and operating systems (Windows, MacOS, Linux, iOS, Android).

The clients include Microsoft Excel, Microsoft Power BI, Microsoft Power Query, Microsoft Word and Microsoft Outlook. Web-based clients include Invantive Cloud, Invantive Bridge Online as OData proxy, Invantive App Online for interactive apps, Online SQL Editor for query execution and Invantive Data Access Point as extended proxy.

For technical users there are command-line editions of Invantive Data Hub running on iOS, Android, Windows, MacOS and Linux. Invantive Data Hub is also often used for enterprise server applications such as ETL. High-volume replication of data taken from EZ-base into traditional databases such as SQL Server (on-premise and Azure), MySQL, PostgreSQL and Oracle is possible using Invantive Data Replicator. Invantive Data Replicator automatically creates and maintains EZ-base datawarehouses, possibly in combination with data from over 70 other (cloud) platforms. Data Replicator supports data volumes up to over 1 TB and over 5.000 companies. The on-premise edition of Invantive Bridge offers an EZ-base ADO.net provider.

Specifications

The SQL driver for EZ-base does not support partitioning. Define one data container in a database for each company in EZ-base to enable parallel access for data from multiple companies.

An introduction into the concepts of Invantive SQL such as databases, data containers and partitioning can be found in the Invantive SQL grammar.

The configuration can be changed using various attributes during log on and use. A full list of configuration options is listed in the driver attributes 2.

The catalog name is used to compose the full qualified name of an object like a table or view. The schema name is used to compose the full qualified name of an object like a table or view. On EZ-base the comparison of two texts is case sensitive by default.

Changes and bug fixes on the EZ-base SQL driver can be found in the release notes. There is currently no specific section on the Invantive forums for EZ-base. Please reach out to other users of EZ-base by leaving a question or contact request.

Driver code for use in settings.xml: `EzBase`

Alias: `ezbase`

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Recommended alias: `ezb`

Updated: 15-06-2022 21:34 using Invantive SQL version 22.0.232-PROD+3445.

2 SQL Driver Attributes for EZ-base

The SQL driver for EZ-base has many attributes that can be finetuned to improve handling in scenarios with unreliable network connections to the EZ-base server or high-volumes of data. Also, many drivers have driver-specific attributes to finetune actual behaviour or handle data not matching specifications.

The EZ-base driver attributes are assigned a default value which seldom requires change. However, changes can be applied when needed on four levels, which are reflected in the table below by separate checkmarks:

- Connection string: the connection string from the settings*.xml file and applied during log on.
- Set SQL statement: a set SQL-statement to be executed once connection has been established.
- Drivers file: the providers.xml file (obsolete starting release 17.32).
- Log on: value to be specified interactively by user during log on in a user interface.

The connection string for EZ-base can be found in the settings*.xml file used for the database. Settings*.xml files are typically located in the `%USERPROFILE%\invantive` folder in most deployment scenarios. The reference manuals contain instructions how to relocate the settings*.xml files. Each data container of a database in the connection string can have a `connectionString` element specifying the name and values of attributes. Both name and value must be properly escaped according to XML-semantics. Actual application of the value is solely done during log on. A new connection must be established to change the value of a driver attribute using a connection string.

The set SQL statement can be executed after log on. The syntax is: `set NAME VALUE`, or for a distributed database: `set NAME@ALIAS VALUE`. In some scenarios you may need to enclose the driver attribute name in square brackets to escape it from parsing, for instance when a reserved SQL keyword is part of the name. The new value takes effect straight after execution of the set-statement. The set-statement can be executed as often as needed during a session.

Driver attributes that can be interactively set to a value are typically presented in the log on window. Depending on the platform and design decisions of the user interface designer, some or all of the available driver attributes can have been made available.

The EZ-base driver can be configured using the following attributes:

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
analysis-enforce-row-uniqueness	Use for analysis only! Enforce rows to be unique.	Shared	False	✓	✓	✓	
bulk-delete-page-size-rows	Number of rows to delete per batch when bulk deleting	Shared	10000	✓	✓	✓	

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
bulk-insert-page-size-bytes	Approximate maximum size in bytes of batch when bulk inserting	Shared	10000000	✓	✓	✓	
bulk-insert-page-size-rows	Number of rows to insert per batch when bulk inserting	Shared	10000	✓	✓	✓	
force-case-sensitive-identifiers	Consider identifiers as case-sensitive independent of the platform capabilities.	Shared	False	✓	✓	✓	
forced-casing-identifiers	Forced casing of identifiers. Choose from Unset, Lower, Upper and Mixed.	Shared		✓	✓	✓	
invantive-sql-compress-sparse-arrays	Whether to compress sparse arrays in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-correct-invalid-date	Whether to correct dates considered invalid since they are before 01-01-1753. When nullable, they are removed. Otherwise they are replaced by 01-01-1753.	SQL Engine V1	False	✓	✓	✓	
invantive-sql-forward-filters-to-data-containers	Whether to forward filters to data containers.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-share-byte-arrays	Whether to share the memory used by identical byte arrays in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-share-strings	Whether to share the memory used by identical strings in result sets during compression.	SQL Engine V1	True	✓	✓	✓	
invantive-sql-shuffle-fetch-results-data-containers	Whether to shuffle results fetched from data containers.	SQL Engine V1	False	✓	✓	✓	
invantive-use-cache	Whether to cache the results of a query.	SQL Engine V1	True	✓	✓	✓	
log-native-calls-to-disk-max-events	Maximum number of events to register from last activation.	Shared		✓	✓	✓	
log-native-calls-to-disk-max-seconds	Maximum number of seconds to register from last activation.	Shared		✓	✓	✓	
log-native-calls-to-disk-on-error	Registers native calls to data container backend as disk files when an error occurred.	Shared	False	✓	✓	✓	
log-native-calls-to-disk-on-success	Registers native calls to data container backend as disk files when successful.	Shared	False	✓	✓	✓	
log-native-calls-to-trace	Log native calls to data container backend on the trace.	Shared	False	✓	✓	✓	
maximum-length-identifiers	Non-default maximum length in characters of identifier names.	Shared		✓	✓	✓	
max-url-length-accepted	The maximum accepted URL length before raising an error.	Shared	8000	✓	✓	✓	

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Code	Description	Origin	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Drivers File	Set from Log On
max-url-length-desired	The maximum desired URL length.	Shared	8000	✓	✓	✓	
minimum-length-text	Extend all text columns to this length to allow processing of XML that uses longer text values than the XSD specifies.	XML		✓			✓
partition-slot-based-rate-limit-length-ms	Total length in ms across all slots of a partition-based rate limit.	Shared	60000	✓		✓	
partition-slot-based-rate-limit-slots	Number of slots per partition-based rate limit. Null means no slot-based rate limit	Shared		✓		✓	
pre-request-delay-ms	Pre-request delay in milliseconds per request.	Shared	0	✓	✓	✓	
requested-page-size	Preferred number of rows to exchange per round trip; only effective on limited platforms such as AFAS Online	Shared		✓	✓	✓	
requests-parallel-max	Maximum number of parallel data requests from individual partitions on the data container.	Shared	32	✓	✓	✓	
result-set-memory-cache	Action: provide 'empty' to empty.	XML			✓		
slot-based-rate-limit-length-ms	Total length in ms across all slots of a slot-based rate limit.	Shared	60000	✓		✓	
slot-based-rate-limit-slots	Number of slots of a slot-based rate limit. Null means no slot-based rate limit	Shared		✓		✓	
standardize-identifiers	Rewrite all identifiers to the preferred standards as configured by standardize-identifiers-casing and maximum-length-identifiers.	Shared	True	✓	✓	✓	
standardize-identifiers-casing	Rewrite all identifiers to the recommended standard platform-specific casing when changing a data model on a case-dependent platform.	Shared	True	✓	✓	✓	
use-metadata-memory-cache	Whether to use the metadata in memory calculated previously Has only practical use during development on a XML provider.	XML	True	✓	✓	✓	
use-result-memory-cache	Whether to use result sets cached in memory from previous queries that can answer the current query.	XML	False	✓	✓	✓	
xml-directories	{res:itgen_provider_attribute_xml_directories_description}			✓	✓	✓	✓
xml-extension	{res:itgen_provider_attribute_xml_extension_description}		*.xml	✓	✓	✓	✓
xml-namespaces	Comma-separated list of namespace prefixes and their URI			✓	✓	✓	

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

3 Schema:
3.1 Tables
3.1.1 WebshopArticleGroupArticleAssets: EZ-base Webshop Article Group Article Assets

Catalog: EZBase

Label: Webshop Article Group Article Assets

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticleAssets

Base XPath: `/Webshop`

XPath: `/ArticleGroups/ArticleGroup/Articles/Article/Assets/Asset`

Table Columns

The columns of the table `WebshopArticleGroupArticleAssets` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ASSETS_ARTICLE_ARTICLEGTIN	string	Article Article GTIN		
ASSETS_ARTICLE_ARTICLENUMBER	string	Article Article Number		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS	string	Article Group Assets		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND	string	Article Group Brand		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABL	string	State Available First		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
E_FIRST_ATTR				
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
ASSETS_ARTICLE_ARTICLESUBGROUP_ATTR	int32	Article Sub Group		
ASSETS_ARTICLE_CBSNUMBER	string	Article CBS Article Class Number		
ASSETS_ARTICLE_DESCRIPTION	string	Article Description		
ASSETS_ARTICLE_ID_ATTR	int32	Article ID		
ASSETS_ARTICLE_MANUFACTURERARTICLEGTIN	string	Article Manufacturer Article EAN		
ASSETS_ARTICLE_MANUFACTURERARTICLENUMBER	string	Article Manufacturer Article Number		
ASSETS_ARTICLE_OWNINFORMATION_ABCCLASSIFICATION	string	ABC Classification		
ASSETS_ARTICLE_OWNINFORMATION_OWNARTICLENUMBER	string	Own Article Number		
ASSETS_ARTICLE_OWNINFORMATION_OWNDESCRIPTION	string	Own Description		
ASSETS_ARTICLE_OWNINFORMATION_OWNPURCHASECOMBINATI	string	Own Purchase Combination Number		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
ONNUMBER				
ASSETS_ARTICLE_OWNINFORMATION_OWNSTATE	string	Own State		
ASSETS_ARTICLE_POSITION_ATTR	int32	Article Position		
ASSETS_ARTICLE_STATES_AVAILABLE_END_ATTR	string	Article Available State End		
ASSETS_ARTICLE_STATES_AVAILABLE_START_ATTR	string	Article Available State Start		
ASSETS_ARTICLE_STATES_LIFETIME	string	Life Time		
ASSETS_ARTICLE_STATES_STATE	string	State		
ASSETS_ARTICLE_TYPENUMBER	string	Article Type Number		
CATEGORY_ATTR	int32	Category		
DESCRIPTION	string	Description		
ID_ATTR	string	ID		
INTERFACE_URL	string(4000)	Interface URL	☑	
ORIGINALEXTENSION	string	Original Extension		
ORIGINALFILE	string	Original File		
POSITION_ATTR	int32	Position		
THUMBNAILURL	string	Thumbnail (URL)		
TYPE_ATTR	string	Type		
URL	string	URL		

3.1.2 WebshopArticleGroupArticleEtimFeatures: EZ-base Webshop Article Group Article ETIM Features

Catalog: EZBase

Label: Webshop Article Group Article ETIM Features

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticleEtimFeatures

Base XPath: `/Webshop`

XPath: `/ArticleGroups/ArticleGroup/Articles/Article/Etim/Ef`

Table Columns

The columns of the table `WebshopArticleGroupArticleEtimFeatures` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CODE_ATTR	string	Code		
ETIM_ARTICLE_ARTICLEGTIN	string	Article Article GTIN		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
ETIM_ARTICLE_ARTICLENUMBER	string	Article Article Number		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS	string	Article Group Assets		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND	string	Article Group Brand		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
ETIM_ARTICLE_ARTICLESUBGROUP_ATTR	int32	Article Sub Group		
ETIM_ARTICLE_ASSETS	string	Article Assets		
ETIM_ARTICLE_CBSNUMBER	string	Article CBS Article Class Number		
ETIM_ARTICLE_DESCRIPTION	string	Article Description		
ETIM_ARTICLE_ID_ATTR	int32	Article ID		
ETIM_ARTICLE_MANUFACTURERARTICLEGTIN	string	Article Manufacturer Article EAN		
ETIM_ARTICLE_MANUFACTURERARTICLENUMBER	string	Article Manufacturer Article Number		
ETIM_ARTICLE_OWNINFORMATION_ABCCLASSIFICATION	string	ABC Classification		
ETIM_ARTICLE_OWNINFORMATION_OWNARTICLENUMBER	string	Own Article Number		
ETIM_ARTICLE_OWNINFORMATION_OWNDESCRIPTION	string	Own Description		
ETIM_ARTICLE_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER	string	Own Purchase Combination Number		
ETIM_ARTICLE_OWNINFORMATION_OWNSTATE	string	Own State		
ETIM_ARTICLE_POSITION_ATTR	int32	Article Position		
ETIM_ARTICLE_STATES_AVAILABLE_END_ATTR	string	Article Available State End		
ETIM_ARTICLE_STATES_AVAILABLE_START_ATTR	string	Article Available State Start		
ETIM_ARTICLE_STATES_LIFETIME	string	Life Time		
ETIM_ARTICLE_STATES_STATE	string	State		
ETIM_ARTICLE_TYPENUMBER	string	Article Type Number		
INTERFACE_URL	string(4000)	Interface URL	☑	

3.1.3 WebshopArticleGroupArticleEtimFeatureValues: EZ-base Webshop Article Group Article ETIM Feature Values

Catalog: EZBase

Label: Webshop Article Group Article ETIM Feature Values

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticleEtimFeatureValues

Base XPath: `/Webshop`

XPath: `/ArticleGroups/ArticleGroup/Articles/Article/Etim/Ef/Ev`

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Table Columns

The columns of the table `WebshopArticleGroupArticleEtimFeatureValues` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CODE_ATTR	string	Code		
EF_CODE_ATTR	string	ETIM Feature Code		
EF_ETIM_ARTICLE_ARTICLEGTIN	string	Article Article GTIN		
EF_ETIM_ARTICLE_ARTICLENUMBER	string	Article Article Number		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS	string	Article Group Assets		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND	string	Article Group Brand		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
EF_ETIM_ARTICLE_ARTICLESUBGROUP_ATTR	int32	Article Sub Group		
EF_ETIM_ARTICLE_ASSETS	string	Article Assets		
EF_ETIM_ARTICLE_CBSNUMBER	string	Article CBS Article Class Number		
EF_ETIM_ARTICLE_DESCRIPTION	string	Article Description		
EF_ETIM_ARTICLE_ID_ATTR	int32	Article ID		
EF_ETIM_ARTICLE_MANUFACTURERARTICLEGTIN	string	Article Manufacturer Article EAN		
EF_ETIM_ARTICLE_MANUFACTURERARTICLENUMBER	string	Article Manufacturer Article Number		
EF_ETIM_ARTICLE_OWNINFORMATION_ABCCLASSIFICATION	string	ABC Classification		
EF_ETIM_ARTICLE_OWNINFORMATION_OWNARTICLENUMBER	string	Own Article Number		
EF_ETIM_ARTICLE_OWNINFORMATION_OWNDESCRIPTION	string	Own Description		
EF_ETIM_ARTICLE_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER	string	Own Purchase Combination Number		
EF_ETIM_ARTICLE_OWNINFORMATION_OWNSTATE	string	Own State		
EF_ETIM_ARTICLE_POSITION_ATTR	int32	Article Position		
EF_ETIM_ARTICLE_STATES_AVAILABLE_END_ATTR	string	Article Available State End		
EF_ETIM_ARTICLE_STATES_AVAILABLE_START_ATTR	string	Article Available State Start		
EF_ETIM_ARTICLE_STATES_LIFETIME	string	Life Time		
EF_ETIM_ARTICLE_STATES_STATE	string	State		
EF_ETIM_ARTICLE_TYPENUMBER	string	Article Type Number		
EV	string	ETIM Feature Value		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
INTERFACE_URL	string(4000)	Interface URL	☑	
MAX_ATTR	decimal			
MIN_ATTR	decimal			

3.1.4 WebshopArticleGroupArticleNormalizedProperties: EZ-base Webshop Article Group Article Normalized Properties

Catalog: EZBase

Label: Webshop Article Group Article Normalized Properties

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticleNormalizedProperties

Base XPath: `/Webshop`

XPath: `/ArticleGroups/ArticleGroup/Articles/Article/NormalizedProperties/Property`

Table Columns

The columns of the table `WebshopArticleGroupArticleNormalizedProperties` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
HEADER_ATTR	int32	Header		
INTERFACE_URL	string(4000)	Interface URL	☑	
NORMALIZEDPROPERTIES_ARTICLE_ARTICLEGTIN	string	Article Article GTIN		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLENUMBER	string	Article Article Number		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS	string	Article Group Assets		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND	string	Article Group Brand		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
NORMALIZEDPROPERTIES_ARTICLE_ARTICLESUBGROUP_ATTR	int32	Article Sub Group		
NORMALIZEDPROPERTIES_ARTICLE_ASSETS	string	Article Assets		
NORMALIZEDPROPERTIES_ARTICLE_CBSNUMBER	string	Article CBS Article Class Number		
NORMALIZEDPROPERTIES_ARTICLE_DESCRIPTION	string	Article Description		
NORMALIZEDPROPERTIES_ARTICLE_ID_ATTR	int32	Article ID		
NORMALIZEDPROPERTIES_ARTICLE_MANUFACTURERARTICLEGTIN	string	Article Manufacturer Article EAN		
NORMALIZEDPROPERTIES_ARTICLE_MANUFACTURERARTICLENUMBER	string	Article Manufacturer Article Number		
NORMALIZEDPROPERTIES_ARTICLE_OWNINFORMATION_ABCCLASSIFICATION	string	ABC Classification		
NORMALIZEDPROPERTIES_ARTICLE_OWNINFORMATION_OWNARTICLENUMBER	string	Own Article Number		
NORMALIZEDPROPERTIES_ARTICLE_OWNINFORMATION_OWNDESCRIPTION	string	Own Description		
NORMALIZEDPROPERTIES_ARTICLE_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER	string	Own Purchase Combination Number		
NORMALIZEDPROPERTIES_ARTICLE_OWNINFORMATION_OWNSTATE	string	Own State		
NORMALIZEDPROPERTIES_ARTICLE_POSITION_ATTR	int32	Article Position		
NORMALIZEDPROPERTIES_ARTICLE_STATES_AVAILABLE_END_ATTR	string	Article Available State End		
NORMALIZEDPROPERTIES_ARTICLE_STATES_AVAILABLE_START_ATTR	string	Article Available State Start		
NORMALIZEDPROPERTIES_ARTICLE_STATES_LIFETIME	string	Life Time		
NORMALIZEDPROPERTIES_ARTICLE_STATES_STATE	string	State		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
NORMALIZEDPROPERTIES_ARTICLE_TYPENUMBER	string	Article Type Number		

3.1.5 WebshopArticleGroupArticleNormalizedPropertyValues: EZ-base Webshop Article Group Article Normalized Property Values

Catalog: EZBase

Label: Webshop Article Group Article Normalized Property Values

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticleNormalizedPropertyValues

Base XPath: `/Webshop`

XPath: `/ArticleGroups/ArticleGroup/Articles/Article/NormalizedProperties/Property/Value`

Table Columns

The columns of the table `WebshopArticleGroupArticleNormalizedPropertyValues` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
INTERFACE_URL	string(4000)	Interface URL	☑	
MAX_ATTR	string			
MIN_ATTR	string			
PROPERTY_HEADER_ATTR	int32	Article Normalized Property Header		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLEGTIN	string	Article Article GTIN		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLENUMBER	string	Article Article Number		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICL	int32	Language		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
EGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR				
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS	string	Article Group Assets		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND	string	Article Group Brand		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLESUBGROUP_ATTR	int32	Article Sub Group		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ASSETS	string	Article Assets		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_CBSNUMBER	string	Article CBS Article Class Number		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_DESCRIPTION	string	Article Description		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ID_ATTR	int32	Article ID		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_MANUFACTURERARTICLEGTIN	string	Article Manufacturer Article EAN		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_MANUFACTURERARTICLENUMBER	string	Article Manufacturer Article Number		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_OWNINFORMATION_ABCCLASSIFICATION	string	ABC Classification		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_OWNINFORMATION_OWNARTICLENUMBER	string	Own Article Number		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_OWNINFORMATION_OWNDESCRIPTION	string	Own Description		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER	string	Own Purchase Combination Number		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_OWNINFORMATION_OWNSTATE	string	Own State		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_POSITION_ATTR	int32	Article Position		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_STATES_AVAILABLE_END_ATTR	string	Article Available State End		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_STATES_AVAILABLE_START_ATTR	string	Article Available State Start		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_STATES_LIFETIME	string	Life Time		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_STATES_STATE	string	State		
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_TYPENUMBER	string	Article Type Number		
VALUE	string	Article Normalized Property Value		

3.1.6 WebshopArticleGroupArticleOwnFreeFields: EZ-base Webshop Article Group Article Own Free Fields

Catalog: EZBase

Label: Webshop Article Group Article Own Free Fields

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticleOwnFreeFields

Base XPath: `/Webshop`

XPath: `/ArticleGroups/ArticleGroup/Articles/Article/OwnInformation/FreeFields/Field`

Table Columns

The columns of the table `WebshopArticleGroupArticleOwnFreeFields` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
FIELD	string	Article Own Information Free Field		
FREEFIELDS_OWNINFORMATION_ABCCLASSIFICATION	string	ABC Classification		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLEGTIN	string	Article Article GTIN		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLENUMBER	string	Article Article Number		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS	string	Article Group Assets		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND	string	Article Group Brand		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLESUBGROUP_ATTR	int32	Article Sub Group		
FREEFIELDS_OWNINFORMATION_ARTICLE_ASSETS	string	Article Assets		
FREEFIELDS_OWNINFORMATION_ARTICLE_CBSNUMBER	string	Article CBS Article Class Number		
FREEFIELDS_OWNINFORMATION_ARTICLE_DESCRIPTION	string	Article Description		
FREEFIELDS_OWNINFORMATION_ARTICLE_ID_ATTR	int32	Article ID		
FREEFIELDS_OWNINFORMATION_ARTICLE_MANUFACTURERARTICLEGTIN	string	Article Manufacturer Article EAN		
FREEFIELDS_OWNINFORMATION_ARTICLE_MANUFACTURERARTICLENUMBER	string	Article Manufacturer Article Number		
FREEFIELDS_OWNINFORMATION_ARTICLE_POSITION_ATTR	int32	Article Position		
FREEFIELDS_OWNINFORMATION_ARTICLE_STATES_AVAILABLE_END_ATTR	string	Article Available State End		
FREEFIELDS_OWNINFORMATION_ARTICLE_STATES_AVAILABLE_S	string	Article Available State Start		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
TART_ATTR				
FREEFIELDS_OWNINFORMATION_ARTICLE_STATES_LIFETIME	string	Life Time		
FREEFIELDS_OWNINFORMATION_ARTICLE_STATES_STATE	string	State		
FREEFIELDS_OWNINFORMATION_ARTICLE_TYPENUMBER	string	Article Type Number		
FREEFIELDS_OWNINFORMATION_OWNARTICLENUMBER	string	Own Article Number		
FREEFIELDS_OWNINFORMATION_OWNDESCRIPTION	string	Own Description		
FREEFIELDS_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER	string	Own Purchase Combination Number		
FREEFIELDS_OWNINFORMATION_OWNSTATE	string	Own State		
INTERFACE_URL	string(4000)	Interface URL	☑	
TYPE_ATTR	string	Type		

3.1.7 WebshopArticleGroupArticleOwnPersonalProperties: EZ-base Webshop Article Group Article Own Personal Properties

Catalog: EZBase

Label: Webshop Article Group Article Own Personal Properties

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticleOwnPersonalProperties

Base XPath: `/Webshop`

XPath: `/ArticleGroups/ArticleGroup/Articles/Article/OwnInformation/PersonalProperties/Property`

Table Columns

The columns of the table `WebshopArticleGroupArticleOwnPersonalProperties` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
HEADER_ATTR	int32	Header		
INTERFACE_URL	string(4000)	Interface URL	☑	
PERSONALPROPERTIES_OWNINFORMATION_ABCCLASSIFICATION	string	ABC Classification		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLEGTIN	string	Article Article GTIN		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLENUMBER	string	Article Article Number		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_AR	decimal	Version		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
TICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR				
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS	string	Article Group Assets		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND	string	Article Group Brand		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLESUBGROUP_ATTR	int32	Article Sub Group		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ASSETS	string	Article Assets		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_CBSNUMBER	string	Article CBS Article Class Number		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_DESCRIPTION	string	Article Description		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ID_ATTR	int32	Article ID		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_MANUFACTURERARTICLEGTIN	string	Article Manufacturer Article EAN		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_MANUFACTURERARTICLENUMBER	string	Article Manufacturer Article Number		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_POSITION_ATTR	int32	Article Position		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_STATES_AVAILABLE_END_ATTR	string	Article Available State End		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_STATES_AVAILABLE_START_ATTR	string	Article Available State Start		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_STATES_LIFETIME	string	Life Time		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_STATES_STATE	string	State		
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_TYPENUMBER	string	Article Type Number		
PERSONALPROPERTIES_OWNINFORMATION_OWNARTICLENUMBER	string	Own Article Number		
PERSONALPROPERTIES_OWNINFORMATION_OWNDESCRIPTION	string	Own Description		
PERSONALPROPERTIES_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER	string	Own Purchase Combination Number		
PERSONALPROPERTIES_OWNINFORMATION_OWNSTATE	string	Own State		
PROPERTY	string	Article Own Information Personal Property		

3.1.8 WebshopArticleGroupArticleOwnRelatedArticles: EZ-base Webshop Article Group Article Own Related Articles

Catalog: EZBase

Label: Webshop Article Group Article Own Related Articles

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticleOwnRelatedArticles

Base XPath: `/Webshop`

XPath: `/ArticleGroups/ArticleGroup/Articles/Article/OwnInformation/RelatedArticles/Article`

Table Columns

The columns of the table `WebshopArticleGroupArticleOwnRelatedArticles` are shown below. Each column has an SQL data type.

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
ID_ATTR	int32	ID		
INTERFACE_URL	string(4000)	Interface URL	☑	
POSITION_ATTR	int32	Position		
RELATEDARTICLES_OWNINFORMATION_ABCCLASSIFICATION	string	ABC Classification		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLEGTIN	string	Article Article GTIN		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLENUMBER	string	Article Article Number		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS	string	Article Group Assets		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND	string	Article Group Brand		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLESUBGROUP_ATTR	int32	Article Sub Group		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ASSETS	string	Article Assets		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_CBSNUMBER	string	Article CBS Article Class Number		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
RELATEDARTICLES_OWNINFORMATION_ARTICLE_DESCRIPTION	string	Article Description		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ID_ATTR	int32	Article ID		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_MANUFACTURERARTICLEGTIN	string	Article Manufacturer Article EAN		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_MANUFACTURERARTICLENUMBER	string	Article Manufacturer Article Number		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_POSITION_ATTR	int32	Article Position		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_STATES_AVAILABLE_END_ATTR	string	Article Available State End		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_STATES_AVAILABLE_START_ATTR	string	Article Available State Start		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_STATES_LIFETIME	string	Life Time		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_STATES_STATE	string	State		
RELATEDARTICLES_OWNINFORMATION_ARTICLE_TYPENUMBER	string	Article Type Number		
RELATEDARTICLES_OWNINFORMATION_OWNARTICLENUMBER	string	Own Article Number		
RELATEDARTICLES_OWNINFORMATION_OWNDESCRIPTION	string	Own Description		
RELATEDARTICLES_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER	string	Own Purchase Combination Number		
RELATEDARTICLES_OWNINFORMATION_OWNSTATE	string	Own State		
TYPE_ATTR	string	Type		

3.1.9 WebshopArticleGroupArticleOwnSelections: EZ-base Webshop Article Group Article Own Selections

Catalog: EZBase

Label: Webshop Article Group Article Own Selections

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticleOwnSelections

Base XPath: `/Webshop`

XPath: `/ArticleGroups/ArticleGroup/Articles/Article/OwnInformation/Selections/Selection`

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Table Columns

The columns of the table `WebshopArticleGroupArticleOwnSelections` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
INTERFACE_URL	string(4000)	Interface URL	☑	
SELECTION	string	Selection		
SELECTIONS_OWNINFORMATION_ABCCLASSIFICATION	string	ABC Classification		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLEGTIN	string	Article Article GTIN		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLENUMBER	string	Article Article Number		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS	string	Article Group Assets		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND	string	Article Group Brand		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLESUBGROUP_ATTR	int32	Article Sub Group		
SELECTIONS_OWNINFORMATION_ARTICLE_ASSETS	string	Article Assets		
SELECTIONS_OWNINFORMATION_ARTICLE_CBSNUMBER	string	Article CBS Article Class Number		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
SELECTIONS_OWNINFORMATION_ARTICLE_DESCRIPTION	string	Article Description		
SELECTIONS_OWNINFORMATION_ARTICLE_ID_ATTR	int32	Article ID		
SELECTIONS_OWNINFORMATION_ARTICLE_MANUFACTURERARTICLEGTIN	string	Article Manufacturer Article EAN		
SELECTIONS_OWNINFORMATION_ARTICLE_MANUFACTURERARTICLENUMBER	string	Article Manufacturer Article Number		
SELECTIONS_OWNINFORMATION_ARTICLE_POSITION_ATTR	int32	Article Position		
SELECTIONS_OWNINFORMATION_ARTICLE_STATES_AVAILABLE_END_ATTR	string	Article Available State End		
SELECTIONS_OWNINFORMATION_ARTICLE_STATES_AVAILABLE_START_ATTR	string	Article Available State Start		
SELECTIONS_OWNINFORMATION_ARTICLE_STATES_LIFETIME	string	Life Time		
SELECTIONS_OWNINFORMATION_ARTICLE_STATES_STATE	string	State		
SELECTIONS_OWNINFORMATION_ARTICLE_TYPENUMBER	string	Article Type Number		
SELECTIONS_OWNINFORMATION_OWNARTICLENUMBER	string	Own Article Number		
SELECTIONS_OWNINFORMATION_OWNDESCRIPTION	string	Own Description		
SELECTIONS_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER	string	Own Purchase Combination Number		
SELECTIONS_OWNINFORMATION_OWNSTATE	string	Own State		

3.1.10 WebshopArticleGroupArticleOwnSynonyms: EZ-base Webshop Article Group Article Own Synonyms

Catalog: EZBase

Label: Webshop Article Group Article Own Synonyms

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticleOwnSynonyms

Base XPath: `/Webshop`

XPath: `/ArticleGroups/ArticleGroup/Articles/Article/OwnInformation/Synonyms/Synonym`

Table Columns

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

The columns of the table `WebshopArticleGroupArticleOwnSynonyms` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
INTERFACE_URL	string(4000)	Interface URL	☑	
SYNONYM	string	Article Own Information Synonym		
SYNONYMS_OWNINFORMATION_ABCCLASSIFICATION	string	ABC Classification		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLEGTIN	string	Article Article GTIN		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLENUMBER	string	Article Article Number		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS	string	Article Group Assets		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND	string	Article Group Brand		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLESUBGROUP_ATTR	int32	Article Sub Group		
SYNONYMS_OWNINFORMATION_ARTICLE_ASSETS	string	Article Assets		
SYNONYMS_OWNINFORMATION_ARTICLE_CBSNUMBER	string	Article CBS Article Class Number		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
SYNONYMS_OWNINFORMATION_ARTICLE_DESCRIPTION	string	Article Description		
SYNONYMS_OWNINFORMATION_ARTICLE_ID_ATTR	int32	Article ID		
SYNONYMS_OWNINFORMATION_ARTICLE_MANUFACTURERARTICLEGTIN	string	Article Manufacturer Article EAN		
SYNONYMS_OWNINFORMATION_ARTICLE_MANUFACTURERARTICLENUMBER	string	Article Manufacturer Article Number		
SYNONYMS_OWNINFORMATION_ARTICLE_POSITION_ATTR	int32	Article Position		
SYNONYMS_OWNINFORMATION_ARTICLE_STATES_AVAILABLE_END_ATTR	string	Article Available State End		
SYNONYMS_OWNINFORMATION_ARTICLE_STATES_AVAILABLE_START_ATTR	string	Article Available State Start		
SYNONYMS_OWNINFORMATION_ARTICLE_STATES_LIFETIME	string	Life Time		
SYNONYMS_OWNINFORMATION_ARTICLE_STATES_STATE	string	State		
SYNONYMS_OWNINFORMATION_ARTICLE_TYPENUMBER	string	Article Type Number		
SYNONYMS_OWNINFORMATION_OWNARTICLENUMBER	string	Own Article Number		
SYNONYMS_OWNINFORMATION_OWNDESCRIPTION	string	Own Description		
SYNONYMS_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER	string	Own Purchase Combination Number		
SYNONYMS_OWNINFORMATION_OWNSTATE	string	Own State		

3.1.11 WebshopArticleGroupArticleProductDetailPrices: EZ-base Webshop Article Group Article Prices

Catalog: EZBase

Label: Webshop Article Group Article Prices

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticleProductDetailPrices

Base XPath: `/Webshop`

XPath: `/ArticleGroups/ArticleGroup/Articles/Article/ProductDetailPrices/Price`

Table Columns

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

The columns of the table `WebshopArticleGroupArticleProductDetailPrices` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ARTICLEDESCRIPTION	string	Article Description		
GROSSPRICE	string	Gross Price		
INTERFACE_URL	string(4000)	Interface URL	☑	
MINIMUMBUYINGQUANTITY	string	Minimum Buying Quantity		
NETPRICE	string	Net Price		
PRICEBASEQUANTITY	string	Price Base Quantity		
PRICELISTNAME_ATTR	string	Price List Name		
PRODUCTDETAILPRICES_ARTICLE_ARTICLEGTIN	string	Article Article GTIN		
PRODUCTDETAILPRICES_ARTICLE_ARTICLENUMBER	string	Article Article Number		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS	string	Article Group Assets		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND	string	Article Group Brand		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
PRODUCTDETAILPRICES_ARTICLE_ARTICLESUBGROUP_ATTR	int32	Article Sub Group		
PRODUCTDETAILPRICES_ARTICLE_ASSETS	string	Article Assets		
PRODUCTDETAILPRICES_ARTICLE_CBSNUMBER	string	Article CBS Article Class Number		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
PRODUCTDETAILPRICES_ARTICLE_DESCRIPTION	string	Article Description		
PRODUCTDETAILPRICES_ARTICLE_ID_ATTR	int32	Article ID		
PRODUCTDETAILPRICES_ARTICLE_MANUFACTURERARTICLEGTIN	string	Article Manufacturer Article EAN		
PRODUCTDETAILPRICES_ARTICLE_MANUFACTURERARTICLENUMBER	string	Article Manufacturer Article Number		
PRODUCTDETAILPRICES_ARTICLE_OWNINFORMATION_ABCCLASSIFICATION	string	ABC Classification		
PRODUCTDETAILPRICES_ARTICLE_OWNINFORMATION_OWNARTICLENUMBER	string	Own Article Number		
PRODUCTDETAILPRICES_ARTICLE_OWNINFORMATION_OWNDESCRIPTION	string	Own Description		
PRODUCTDETAILPRICES_ARTICLE_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER	string	Own Purchase Combination Number		
PRODUCTDETAILPRICES_ARTICLE_OWNINFORMATION_OWNSTATE	string	Own State		
PRODUCTDETAILPRICES_ARTICLE_POSITION_ATTR	int32	Article Position		
PRODUCTDETAILPRICES_ARTICLE_STATES_AVAILABLE_END_ATTR	string	Article Available State End		
PRODUCTDETAILPRICES_ARTICLE_STATES_AVAILABLE_START_ATTR	string	Article Available State Start		
PRODUCTDETAILPRICES_ARTICLE_STATES_LIFETIME	string	Life Time		
PRODUCTDETAILPRICES_ARTICLE_STATES_STATE	string	State		
PRODUCTDETAILPRICES_ARTICLE_TYPENUMBER	string	Article Type Number		
UNITOFMEASUREPRICEBASE	string	UOM Price Base		

3.1.12 WebshopArticleGroupArticleRelatedArticles: EZ-base Webshop Article Group Article Related Articles

Catalog: EZBase

Label: Webshop Article Group Article Related Articles

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticleRelatedArticles

Base XPath: `/Webshop`

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

XPath: `/ArticleGroups/ArticleGroup/Articles/Article/RelatedArticles/Article`

Table Columns

The columns of the table `WebshopArticleGroupArticleRelatedArticles` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ID_ATTR	int32	ID		
INTERFACE_URL	string(4000)	Interface URL	☑	
POSITION_ATTR	int32	Position		
RELATEDARTICLES_ARTICLE_ARTICLEGTIN	string	Article Article GTIN		
RELATEDARTICLES_ARTICLE_ARTICLENUMBER	string	Article Article Number		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEG	boolean	Export Settings Display Synonyms		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
ROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS				
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS	string	Article Group Assets		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND	string	Article Group Brand		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
RELATEDARTICLES_ARTICLE_ARTICLESUBGROUP_ATTR	int32	Article Sub Group		
RELATEDARTICLES_ARTICLE_ASSETS	string	Article Assets		
RELATEDARTICLES_ARTICLE_CBSNUMBER	string	Article CBS Article Class Number		
RELATEDARTICLES_ARTICLE_DESCRIPTION	string	Article Description		
RELATEDARTICLES_ARTICLE_ID_ATTR	int32	Article ID		
RELATEDARTICLES_ARTICLE_MANUFACTURERARTICLEGTIN	string	Article Manufacturer Article EAN		
RELATEDARTICLES_ARTICLE_MANUFACTURERARTICLENUMBER	string	Article Manufacturer Article Number		
RELATEDARTICLES_ARTICLE_OWNINFORMATION_ABCCLASSIFICATION	string	ABC Classification		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
RELATEDARTICLES_ARTICLE_OWNINFORMATION_OWNARTICLENUMBER	string	Own Article Number		
RELATEDARTICLES_ARTICLE_OWNINFORMATION_OWNDESCRIPTION	string	Own Description		
RELATEDARTICLES_ARTICLE_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER	string	Own Purchase Combination Number		
RELATEDARTICLES_ARTICLE_OWNINFORMATION_OWNSTATE	string	Own State		
RELATEDARTICLES_ARTICLE_POSITION_ATTR	int32	Article Position		
RELATEDARTICLES_ARTICLE_STATES_AVAILABLE_END_ATTR	string	Article Available State End		
RELATEDARTICLES_ARTICLE_STATES_AVAILABLE_START_ATTR	string	Article Available State Start		
RELATEDARTICLES_ARTICLE_STATES_LIFETIME	string	Life Time		
RELATEDARTICLES_ARTICLE_STATES_STATE	string	State		
RELATEDARTICLES_ARTICLE_TYPENUMBER	string	Article Type Number		
TYPE_ATTR	string	Type		

3.1.13 WebshopArticleGroupArticles: EZ-base Webshop Article Group Articles

Catalog: EZBase

Label: Webshop Article Group Articles

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticles

Base XPath: `/Webshop`

XPath: `/ArticleGroups/ArticleGroup/Articles/Article`

Table Columns

The columns of the table `WebshopArticleGroupArticles` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ARTICLEGTIN	string	Article GTIN		
ARTICLENUMBER	string	Article Number		
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
ARTICLES_ARTICLEGROUP_ASSETS	string	Article Group Assets		
ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
ARTICLES_ARTICLEGROUP_BRAND	string	Article Group Brand		
ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
ARTICLES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		
ARTICLES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
ARTICLESUBGROUP_ATTR	int32	Sub Group		
ASSETS	string	Assets		
CBSNUMBER	string	CBS Article Class Number		
DESCRIPTION	string	Description		
ID_ATTR	int32	ID		
INTERFACE_URL	string(4000)	Interface URL	☑	
MANUFACTURERARTICLEGTIN	string	Manufacturer Article EAN		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
MANUFACTURERARTICLENUMBER	string	Manufacturer Article Number		
OWNINFORMATION_ABCCLASSIFICATION	string	Own Information ABC Classification		
OWNINFORMATION_OWNARTICLENUMBER	string	Own Information Own Article Number		
OWNINFORMATION_OWNDESCRIPTION	string	Own Information Own Description		
OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER	string	Own Information Own Purchase Combination Number		
OWNINFORMATION_OWNSTATE	string	Own Information Own State		
POSITION_ATTR	int32	Position		
STATES_AVAILABLE_END_ATTR	string	Available State End		
STATES_AVAILABLE_START_ATTR	string	Available State Start		
STATES_LIFETIME	string	State Life Time		
STATES_STATE	string	State State		
TYPENUMBER	string	Type Number		

3.1.14 WebshopArticleGroupArticleSupplierPropertyAssets: EZ-base Webshop Article Group Article Supplier Property Assets

Catalog: EZBase

Label: Webshop Article Group Article Supplier Property Assets

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticleSupplierPropertyAssets

Base XPath: `/Webshop`

XPath: `/ArticleGroups/ArticleGroup/Articles/Article/SupplierProperties/Property/Assets/Asset`

Table Columns

The columns of the table `WebshopArticleGroupArticleSupplierPropertyAssets` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ASSETS_PROPERTY_EZBASEUNIT_ATTR	string			
ASSETS_PROPERTY_EZBASEUNITCATEGORY_ATTR	string			
ASSETS_PROPERTY_EZBASEUNITDESCRIPTION_ATTR	string			

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
ASSETS_PROPERTY_HEADER_ATTR	int32			
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLEGTIN	string	Article Article GTIN		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLENUMBER	string	Article Article Number		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_	int32	Export Settings Number of Images Displayed		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT				
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS	string	Article Group Assets		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND	string	Article Group Brand		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_A	int32	Article Group Position		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
RTICLEGROUP_POSITION_ATTR				
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLESUBGROUP_ATTR	int32	Article Sub Group		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ASSETS	string	Article Assets		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_CBSNUMBER	string	Article CBS Article Class Number		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_DESCRIPTION	string	Article Description		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ID_ATTR	int32	Article ID		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_MANUFACTURERARTICLEGTIN	string	Article Manufacturer Article EAN		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_MANUFACTURERARTICLENUMBER	string	Article Manufacturer Article Number		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_OWNINFORMATION_ABCCLASSIFICATION	string	ABC Classification		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_OWNINFORMATION_OWNARTICLENUMBER	string	Own Article Number		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_OWNINFORMATION_OWNDESCRIPTION	string	Own Description		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER	string	Own Purchase Combination Number		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_OWNINFORMATION_OWNSTATE	string	Own State		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_POSITION_ATTR	int32	Article Position		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_STATES_AVAILABLE_END_ATTR	string	Article Available State End		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_STATES_AVAILABLE_START_ATTR	string	Article Available State Start		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_STATES_LIFETIME	string	Life Time		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_STATES_STATE	string	State		
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_TYPENUMBER	string	Article Type Number		
ASSETS_PROPERTY_UNIT_ATTR	string			
ASSETS_PROPERTY_VALUE	string			
CATEGORY_ATTR	int32	Category		
DESCRIPTION	string	Description		
ID_ATTR	string	ID		
INTERFACE_URL	string(4000)	Interface URL	☑	

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
ORIGINALEXTENSION	string	Original Extension		
ORIGINALFILE	string	Original File		
POSITION_ATTR	int32	Position		
THUMBNAILURL	string	Thumbnail (URL)		
TYPE_ATTR	string	Type		
URL	string	URL		

3.1.15 WebshopArticleGroupArticleSupplierPropertyValues: EZ-base Webshop Article Group Article Supplier Property Values

Catalog: EZBase

Label: Webshop Article Group Article Supplier Property Values

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticleSupplierPropertyValues

Base XPath: `/Webshop`

XPath: `/ArticleGroups/ArticleGroup/Articles/Article/SupplierProperties/Property`

Table Columns

The columns of the table `WebshopArticleGroupArticleSupplierPropertyValues` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ASSETS	string	Assets		
EZBASEUNIT_ATTR	string	Unit		
EZBASEUNITCATEGORY_ATTR	string	Unit Category		
EZBASEUNITDESCRIPTION_ATTR	string	Unit Description		
HEADER_ATTR	int32	Header		
INTERFACE_URL	string(4000)	Interface URL	☑	
SUPPLIERPROPERTIES_ARTICLE_ARTICLEGTIN	string	Article Article GTIN		
SUPPLIERPROPERTIES_ARTICLE_ARTICLENUMBER	string	Article Article Number		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICL	string	Export Selection Name		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
EGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR				
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS	string	Article Group Assets		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND	string	Article Group Brand		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
SUPPLIERPROPERTIES_ARTICLE_ARTICLESUBGROUP_ATTR	int32	Article Sub Group		
SUPPLIERPROPERTIES_ARTICLE_ASSETS	string	Article Assets		
SUPPLIERPROPERTIES_ARTICLE_CBSNUMBER	string	Article CBS Article Class Number		
SUPPLIERPROPERTIES_ARTICLE_DESCRIPTION	string	Article Description		
SUPPLIERPROPERTIES_ARTICLE_ID_ATTR	int32	Article ID		
SUPPLIERPROPERTIES_ARTICLE_MANUFACTURERARTICLEGTIN	string	Article Manufacturer Article EAN		
SUPPLIERPROPERTIES_ARTICLE_MANUFACTURERARTICLENUMBER	string	Article Manufacturer Article Number		
SUPPLIERPROPERTIES_ARTICLE_OWNINFORMATION_ABCCLASSIFICATION	string	ABC Classification		
SUPPLIERPROPERTIES_ARTICLE_OWNINFORMATION_OWNARTICLENUMBER	string	Own Article Number		
SUPPLIERPROPERTIES_ARTICLE_OWNINFORMATION_OWNDESCRIPTION	string	Own Description		
SUPPLIERPROPERTIES_ARTICLE_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER	string	Own Purchase Combination Number		
SUPPLIERPROPERTIES_ARTICLE_OWNINFORMATION_OWNSTATE	string	Own State		
SUPPLIERPROPERTIES_ARTICLE_POSITION_ATTR	int32	Article Position		
SUPPLIERPROPERTIES_ARTICLE_STATES_AVAILABLE_END_ATTR	string	Article Available State End		
SUPPLIERPROPERTIES_ARTICLE_STATES_AVAILABLE_START_ATTR	string	Article Available State Start		
SUPPLIERPROPERTIES_ARTICLE_STATES_LIFETIME	string	Life Time		
SUPPLIERPROPERTIES_ARTICLE_STATES_STATE	string	State		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
SUPPLIERPROPERTIES_ARTICLE_TYPENUMBER	string	Article Type Number		
UNIT_ATTR	string	Unit		
VALUE	string	Value		

3.1.16 WebshopArticleGroupArticleTablePropertyAssets: EZ-base Webshop Article Group Article Table Property Assets

Catalog: EZBase

Label: Webshop Article Group Article Table Property Assets

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticleTablePropertyAssets

Base XPath: `/Webshop`

XPath: `/ArticleGroups/ArticleGroup/Articles/Article/TableProperties/Property/Assets/Asset`

Table Columns

The columns of the table `WebshopArticleGroupArticleTablePropertyAssets` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ASSETS_PROPERTY_TABLEHEADER_ATTR	int32			
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLEGTIN	string	Article Article GTIN		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLENUMBER	string	Article Article Number		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS	string	Article Group Assets		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND	string	Article Group Brand		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTI	int32	Classification ID		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
CLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR				
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTI	string	Article Group Supplier Data Provider GLN		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
CLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR				
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLESUBGROUP_ATTR	int32	Article Sub Group		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ASSETS	string	Article Assets		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_CBSNUMBER	string	Article CBS Article Class Number		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_DESCRIPTION	string	Article Description		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ID_ATTR	int32	Article ID		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_MANUFACTURERARTICLEGTIN	string	Article Manufacturer Article EAN		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_MANUFACTURERARTICLENUMBER	string	Article Manufacturer Article Number		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_OWNINFORMATION_ABCCLASSIFICATION	string	ABC Classification		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_OWNINFORMATION_OWNARTICLENUMBER	string	Own Article Number		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_OWNINFORMATION_OWNDESCRIPTION	string	Own Description		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER	string	Own Purchase Combination Number		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_OWNINFORMATION_OWNSTATE	string	Own State		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_POSITION_ATTR	int32	Article Position		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_STATES_AVAILABLE_END_ATTR	string	Article Available State End		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_STATES_AVAILABLE_START_ATTR	string	Article Available State Start		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_STATES_LIFETIME	string	Life Time		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_STATES_STATE	string	State		
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_TYPENUMBER	string	Article Type Number		
ASSETS_PROPERTY_VALUE	string			
CATEGORY_ATTR	int32	Category		
DESCRIPTION	string	Description		
ID_ATTR	string	ID		
INTERFACE_URL	string(4000)	Interface URL	☑	
ORIGINALEXTENSION	string	Original Extension		
ORIGINALFILE	string	Original File		
POSITION_ATTR	int32	Position		
THUMBNAILURL	string	Thumbnail (URL)		
TYPE_ATTR	string	Type		
URL	string	URL		

3.1.17 WebshopArticleGroupArticleTablePropertyValues: EZ-base Webshop Article Group Article Table Property Values

Catalog: EZBase

Label: Webshop Article Group Article Table Property Values

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupArticleTablePropertyValues

Base XPath: `/Webshop`

XPath: `/ArticleGroups/ArticleGroup/Articles/Article/TableProperties/Property`

Table Columns

The columns of the table `WebshopArticleGroupArticleTablePropertyValues` are shown below. Each column has an SQL data type.

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
ASSETS	string	Assets		
INTERFACE_URL	string(4000)	Interface URL	☑	
TABLEHEADER_ATTR	int32	Table Header		
TABLEPROPERTIES_ARTICLE_ARTICLEGTIN	string	Article Article GTIN		
TABLEPROPERTIES_ARTICLE_ARTICLENUMBER	string	Article Article Number		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEG	int32	Export Settings Number of Properties Displayed		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
ROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT				
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS	string	Article Group Assets		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND	string	Article Group Brand		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_KIND	string	Article Group Kind		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_NAME	string	Article Group Name		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
TABLEPROPERTIES_ARTICLE_ARTICLESUBGROUP_ATTR	int32	Article Sub Group		
TABLEPROPERTIES_ARTICLE_ASSETS	string	Article Assets		
TABLEPROPERTIES_ARTICLE_CBSNUMBER	string	Article CBS Article Class Number		
TABLEPROPERTIES_ARTICLE_DESCRIPTION	string	Article Description		
TABLEPROPERTIES_ARTICLE_ID_ATTR	int32	Article ID		
TABLEPROPERTIES_ARTICLE_MANUFACTURERARTICLEGTIN	string	Article Manufacturer Article EAN		
TABLEPROPERTIES_ARTICLE_MANUFACTURERARTICLENUMBER	string	Article Manufacturer Article Number		
TABLEPROPERTIES_ARTICLE_OWNINFORMATION_ABCCLASSIFICATION	string	ABC Classification		
TABLEPROPERTIES_ARTICLE_OWNINFORMATION_OWNARTICLENUMBER	string	Own Article Number		
TABLEPROPERTIES_ARTICLE_OWNINFORMATION_OWNDESCRIPTION	string	Own Description		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
TABLEPROPERTIES_ARTICLE_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER	string	Own Purchase Combination Number		
TABLEPROPERTIES_ARTICLE_OWNINFORMATION_OWNSTATE	string	Own State		
TABLEPROPERTIES_ARTICLE_POSITION_ATTR	int32	Article Position		
TABLEPROPERTIES_ARTICLE_STATES_AVAILABLE_END_ATTR	string	Article Available State End		
TABLEPROPERTIES_ARTICLE_STATES_AVAILABLE_START_ATTR	string	Article Available State Start		
TABLEPROPERTIES_ARTICLE_STATES_LIFETIME	string	Life Time		
TABLEPROPERTIES_ARTICLE_STATES_STATE	string	State		
TABLEPROPERTIES_ARTICLE_TYPENUMBER	string	Article Type Number		
VALUE	string	Value		

3.1.18 WebshopArticleGroupAssets: EZ-base Webshop Article Group Assets

Catalog: EZBase

Label: Webshop Article Group Assets

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupAssets

Base XPath: `/Webshop`

XPath: `/ArticleGroups/ArticleGroup/Assets/Asset`

Table Columns

The columns of the table `WebshopArticleGroupAssets` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
ASSETS_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
ASSETS_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
ASSETS_ARTICLEGROUP_BRAND	string	Article Group Brand		
ASSETS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
ASSETS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ASSETS_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
ASSETS_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
ASSETS_ARTICLEGROUP_KIND	string	Article Group Kind		
ASSETS_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
ASSETS_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
ASSETS_ARTICLEGROUP_NAME	string	Article Group Name		
ASSETS_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
ASSETS_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
ASSETS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
ASSETS_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
ASSETS_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
ASSETS_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
ASSETS_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
ASSETS_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
ASSETS_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
ASSETS_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
ASSETS_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
ASSETS_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
ASSETS_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
ASSETS_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
CATEGORY_ATTR	int32	Category		
DESCRIPTION	string	Description		
ID_ATTR	string	ID		
INTERFACE_URL	string(4000)	Interface URL	☑	
ORIGINALEXTENSION	string	Original Extension		
ORIGINALFILE	string	Original File		
POSITION_ATTR	int32	Position		
THUMBNAILURL	string	Thumbnail (URL)		
TYPE_ATTR	string	Type		
URL	string	URL		

3.1.19 WebshopArticleGroupBluePencilDataTableAssets: EZ-base Webshop Article Group Edit Data Table Assets

Catalog: EZBase

Label: Webshop Article Group Edit Data Table Assets

The data in this table is partitioned per value of the column.

Retrieve: true

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Topic: WebshopArticleGroupBluePencilDataTableAssets

Base XPath: `/Webshop`

XPath: `/ArticleGroups/ArticleGroup/BluePencilData/ArticleTableHeader/Assets/Asset`

Table Columns

The columns of the table `WebshopArticleGroupBluePencilDataTableAssets` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROU	int32	Export Settings Number of Images Displayed		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
P_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT				
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ASSETS	string	Article Group Assets		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_BRAND	string	Article Group Brand		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_KIND	string	Article Group Kind		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_NAME	string	Article Group Name		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
ASSETS_ARTICLETABLEHEADER_HEADERID_ATTR	int32	Edit Article Table Header Header ID		
ASSETS_ARTICLETABLEHEADER_ID_ATTR	int32	Edit Article Table Header ID		
ASSETS_ARTICLETABLEHEADER_ISGROUPED_ATTR	boolean	Edit Article Table Header Is Grouped		
ASSETS_ARTICLETABLEHEADER_ISHIDDEN_ATTR	boolean	Edit Article Table Header Is Hidden		
ASSETS_ARTICLETABLEHEADER_NAME	string	Edit Article Table Header Name		
ASSETS_ARTICLETABLEHEADER_POSITION_ATTR	int32	Edit Article Table Header Position		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
ASSETS_ARTICLETABLEHEADER_SEPARATOR_ATTR	string	Edit Article Table Header Separator		
ASSETS_ARTICLETABLEHEADER_TOSPECIFICATION_ATTR	boolean	Edit Article Table Header Copy to Specification		
CATEGORY_ATTR	int32	Category		
DESCRIPTION	string	Description		
ID_ATTR	string	ID		
INTERFACE_URL	string(4000)	Interface URL	☑	
ORIGINALEXTENSION	string	Original Extension		
ORIGINALFILE	string	Original File		
POSITION_ATTR	int32	Position		
THUMBNAILURL	string	Thumbnail (URL)		
TYPE_ATTR	string	Type		
URL	string	URL		

3.1.20 WebshopArticleGroupBluePencilDataTableGroupHeaders: EZ-base Webshop Article Group Edit Data Table Grouped Headers

Catalog: EZBase

Label: Webshop Article Group Edit Data Table Grouped Headers

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupBluePencilDataTableGroupHeaders

Base XPath: `/Webshop`

XPath: `/ArticleGroups/ArticleGroup/BluePencilData/ArticleTableHeader/GroupHeader`

Table Columns

The columns of the table `WebshopArticleGroupBluePencilDataTableGroupHeaders` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ARTICLETABLEHEADER_ASSETS	string	Edit Article Table Header Assets		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ASSETS	string	Article Group Assets		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_BRAND	string	Article Group Brand		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_CLASS	string	Classification Name		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
IFICATIONS_CLASSIFICATION_NAME_ATTR				
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_KIND	string	Article Group Kind		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_NAME	string	Article Group Name		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_SUPPLI	string	Article Group Supplier Name		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
ER_NAME_ATTR				
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
ARTICLETABLEHEADER_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
ARTICLETABLEHEADER_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
ARTICLETABLEHEADER_HEADERID_ATTR	int32	Edit Article Table Header Header ID		
ARTICLETABLEHEADER_ID_ATTR	int32	Edit Article Table Header ID		
ARTICLETABLEHEADER_ISGROUPED_ATTR	boolean	Edit Article Table Header Is Grouped		
ARTICLETABLEHEADER_ISHIDDEN_ATTR	boolean	Edit Article Table Header Is Hidden		
ARTICLETABLEHEADER_NAME	string	Edit Article Table Header Name		
ARTICLETABLEHEADER_POSITION_ATTR	int32	Edit Article Table Header Position		
ARTICLETABLEHEADER_SEPARATOR_ATTR	string	Edit Article Table Header Separator		
ARTICLETABLEHEADER_TOSPECIFICATION_ATTR	boolean	Edit Article Table Header Copy to Specification		
INTERFACE_URL	string(4000)	Interface URL	☑	

3.1.21 WebshopArticleGroupBluePencilDataTableHeaders: EZ-base Webshop Article Group Edit Data Table Headers

Catalog: EZBase

Label: Webshop Article Group Edit Data Table Headers

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupBluePencilDataTableHeaders

Base XPath: `/Webshop`

XPath: `/ArticleGroups/ArticleGroup/BluePencilData/ArticleTableHeader`

Table Columns

The columns of the table `WebshopArticleGroupBluePencilDataTableHeaders` are shown below. Each column has an SQL data type.

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
ASSETS	string	Assets		
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
BLUEPENCILDATA_ARTICLEGROUP_ASSETS	string	Article Group Assets		
BLUEPENCILDATA_ARTICLEGROUP_BRAND	string	Article Group Brand		
BLUEPENCILDATA_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
BLUEPENCILDATA_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
BLUEPENCILDATA_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
BLUEPENCILDATA_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
BLUEPENCILDATA_ARTICLEGROUP_KIND	string	Article Group Kind		
BLUEPENCILDATA_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
BLUEPENCILDATA_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
BLUEPENCILDATA_ARTICLEGROUP_NAME	string	Article Group Name		
BLUEPENCILDATA_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
BLUEPENCILDATA_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
BLUEPENCILDATA_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
BLUEPENCILDATA_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
BLUEPENCILDATA_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
BLUEPENCILDATA_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
BLUEPENCILDATA_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
BLUEPENCILDATA_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
BLUEPENCILDATA_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
HEADERID_ATTR	int32	Header ID		
ID_ATTR	int32	ID		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
INTERFACE_URL	string(4000)	Interface URL	☑	
ISGROUPED_ATTR	boolean	Is Grouped		
ISHIDDEN_ATTR	boolean	Is Hidden		
NAME	string	Name		
POSITION_ATTR	int32	Position		
SEPARATOR_ATTR	string	Separator		
TOSPECIFICATION_ATTR	boolean	Copy to Specification		

3.1.22 WebshopArticleGroupClassifications: EZ-base Webshop Article Group Classifications

Catalog: EZBase

Label: Webshop Article Group Classifications

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupClassifications

Base XPath: `/Webshop`

XPath: `/ArticleGroups/ArticleGroup/Classifications/Classification`

Table Columns

The columns of the table `WebshopArticleGroupClassifications` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_S	string	Sender GLN		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
ENDERGLN_ATTR				
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
CLASSIFICATIONS_ARTICLEGROUP_ASSETS	string	Article Group Assets		
CLASSIFICATIONS_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
CLASSIFICATIONS_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
CLASSIFICATIONS_ARTICLEGROUP_BRAND	string	Article Group Brand		
CLASSIFICATIONS_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
CLASSIFICATIONS_ARTICLEGROUP_KIND	string	Article Group Kind		
CLASSIFICATIONS_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
CLASSIFICATIONS_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
CLASSIFICATIONS_ARTICLEGROUP_NAME	string	Article Group Name		
CLASSIFICATIONS_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
CLASSIFICATIONS_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
CLASSIFICATIONS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
CLASSIFICATIONS_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
CLASSIFICATIONS_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
CLASSIFICATIONS_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
CLASSIFICATIONS_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
CLASSIFICATIONS_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
CLASSIFICATIONS_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
CLASSIFICATIONS_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
CLASSIFICATIONS_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
CLASSIFICATIONS_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
CLASSIFICATIONS_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
CLASSIFICATIONS_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
ID_ATTR	int32	ID		
INTERFACE_URL	string(4000)	Interface URL	☑	
NAME_ATTR	string	Name		

3.1.23 WebshopArticleGroupNormalizedHeaders: EZ-base Webshop Article Group Normalized Headers

Catalog: EZBase

Label: Webshop Article Group Normalized Headers

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupNormalizedHeaders

Base XPath: `/Webshop`

XPath: `/ArticleGroups/ArticleGroup/NormalizedHeaders/NormalizedHeader`

Table Columns

The columns of the table `WebshopArticleGroupNormalizedHeaders` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ID_ATTR	int32	ID		
INTERFACE_URL	string(4000)	Interface URL	☑	

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
NORMALIZEDHEADER	string	Article Group Normalized Header		
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
NORMALIZEDHEADERS_ARTICLEGROUP_ASSETS	string	Article Group Assets		
NORMALIZEDHEADERS_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
NORMALIZEDHEADERS_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
NORMALIZEDHEADERS_ARTICLEGROUP_BRAND	string	Article Group Brand		
NORMALIZEDHEADERS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
NORMALIZEDHEADERS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
NORMALIZEDHEADERS_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
NORMALIZEDHEADERS_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
NORMALIZEDHEADERS_ARTICLEGROUP_KIND	string	Article Group Kind		
NORMALIZEDHEADERS_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
NORMALIZEDHEADERS_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
NORMALIZEDHEADERS_ARTICLEGROUP_NAME	string	Article Group Name		
NORMALIZEDHEADERS_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
NORMALIZEDHEADERS_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
NORMALIZEDHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
NORMALIZEDHEADERS_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
NORMALIZEDHEADERS_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
NORMALIZEDHEADERS_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
NORMALIZEDHEADERS_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
NORMALIZEDHEADERS_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
NORMALIZEDHEADERS_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
NORMALIZEDHEADERS_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
NORMALIZEDHEADERS_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
NORMALIZEDHEADERS_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
NORMALIZEDHEADERS_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
NORMALIZEDHEADERS_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
TYPE_ATTR	string	Type		
UNIT_ATTR	string	Unit		

3.1.24 WebshopArticleGroups: EZ-base Webshop Article Groups

Catalog: EZBase

Label: Webshop Article Groups

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroups

Base XPath: `/Webshop`

XPath: `/ArticleGroups/ArticleGroup`

Table Columns

The columns of the table `WebshopArticleGroups` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
ASSETS	string	Assets		
BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
BRAND	string	Brand		
CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
ID_ATTR	int32	ID		
INTERFACE_URL	string(4000)	Interface URL	☑	
KIND	string	Kind		
LEGACYID_ATTR	string	Legacy ID		
MANUFACTURERGLN	string	Manufacturer GLN		
NAME	string	Name		
POSITION_ATTR	int32	Position		
STATES_AVAILABLE_FIRST_ATTR	string	Available State First		
STATES_AVAILABLE_LAST_ATTR	string	Available State Last		
STATES_BLUEPENCIL	string	State Edit		
STATES_CLASSIFICATION	string	State Classification		
STATES_CONFIRM	string	State Confirm		
STATES_LIFETIME	string	State Life Time		
STATES_PRODUCTION	string	State Production		
SUPPLIER_DATAPROVIDERGLN_ATTR	string	Supplier Data Provider GLN		
SUPPLIER_GLN_ATTR	string	Supplier GLN		
SUPPLIER_ID_ATTR	int32	Supplier ID		
SUPPLIER_NAME_ATTR	string	Supplier Name		
SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Supplier Purchase Combination GLN		
TEMPLATE	string	Template		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

3.1.25 WebshopArticleGroupSpecificationProperties: EZ-base Webshop Article Group Specification Properties

Catalog: EZBase

Label: Webshop Article Group Specification Properties

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupSpecificationProperties

Base XPath: `/Webshop`

XPath: `/ArticleGroups/ArticleGroup/SpecificationProperties/Property`

Table Columns

The columns of the table `WebshopArticleGroupSpecificationProperties` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
INTERFACE_URL	string(4000)	Interface URL	☑	
PROPERTY	string	Article Group Specification Property		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ASSETS	string	Article Group Assets		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_BRAND	string	Article Group Brand		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_KIND	string	Article Group Kind		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_NAME	string	Article Group Name		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
SPECIFICATIONPROPERTIES_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
SPECIFICATIONPROPERTIES_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
TABLEHEADER_ATTR	int32	Table Header		

3.1.26 WebshopArticleGroupSpecifications: EZ-base Webshop Article Group Specifications

Catalog: EZBase

Label: Webshop Article Group Specifications

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupSpecifications

Base XPath: `/Webshop`

XPath: `/ArticleGroups/ArticleGroup/Specifications/Specification`

Table Columns

The columns of the table `WebshopArticleGroupSpecifications` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
FOOTER	string	Footer		
HEADER	string	Header		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
INTERFACE_URL	string(4000)	Interface URL	☑	
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
SPECIFICATIONS_ARTICLEGROUP_ASSETS	string	Article Group Assets		
SPECIFICATIONS_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
SPECIFICATIONS_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
SPECIFICATIONS_ARTICLEGROUP_BRAND	string	Article Group Brand		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
SPECIFICATIONS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
SPECIFICATIONS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
SPECIFICATIONS_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
SPECIFICATIONS_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
SPECIFICATIONS_ARTICLEGROUP_KIND	string	Article Group Kind		
SPECIFICATIONS_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
SPECIFICATIONS_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
SPECIFICATIONS_ARTICLEGROUP_NAME	string	Article Group Name		
SPECIFICATIONS_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
SPECIFICATIONS_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
SPECIFICATIONS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
SPECIFICATIONS_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
SPECIFICATIONS_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
SPECIFICATIONS_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
SPECIFICATIONS_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
SPECIFICATIONS_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
SPECIFICATIONS_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
SPECIFICATIONS_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
SPECIFICATIONS_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
SPECIFICATIONS_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
SPECIFICATIONS_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
SPECIFICATIONS_ARTICLEGROUP_TEMPLATE	string	Article Group Template		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
TYPE_ATTR	string	Type		

3.1.27 WebshopArticleGroupSubGroups: EZ-base Webshop Article Group Sub Groups

Catalog: EZBase

Label: Webshop Article Group Sub Groups

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupSubGroups

Base XPath: `/Webshop`

XPath: `/ArticleGroups/ArticleGroup/ArticleSubGroups/ArticleSubGroup`

Table Columns

The columns of the table `WebshopArticleGroupSubGroups` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP	boolean	Export Settings Display Synonyms		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
_TEMPLATESETTINGS_DISPLAYSYNONYMS				
ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
ARTICLESUBGROUPS_ARTICLEGROUP_ASSETS	string	Article Group Assets		
ARTICLESUBGROUPS_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
ARTICLESUBGROUPS_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
ARTICLESUBGROUPS_ARTICLEGROUP_BRAND	string	Article Group Brand		
ARTICLESUBGROUPS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
ARTICLESUBGROUPS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ARTICLESUBGROUPS_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
ARTICLESUBGROUPS_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
ARTICLESUBGROUPS_ARTICLEGROUP_KIND	string	Article Group Kind		
ARTICLESUBGROUPS_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
ARTICLESUBGROUPS_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
ARTICLESUBGROUPS_ARTICLEGROUP_NAME	string	Article Group Name		
ARTICLESUBGROUPS_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
ARTICLESUBGROUPS_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
ARTICLESUBGROUPS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
ARTICLESUBGROUPS_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
ARTICLESUBGROUPS_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
ARTICLESUBGROUPS_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
ARTICLESUBGROUPS_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
ARTICLESUBGROUPS_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
ARTICLESUBGROUPS_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
ARTICLESUBGROUPS_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
ARTICLESUBGROUPS_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
ARTICLESUBGROUPS_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
ARTICLESUBGROUPS_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
ARTICLESUBGROUPS_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
FOOTER	string	Footer		
HEADER	string	Header		
ID_ATTR	int32	ID		
INTERFACE_URL	string(4000)	Interface URL	☑	
POSITION_ATTR	int32	Position		

3.1.28 WebshopArticleGroupSupplierHeaderAssets: EZ-base Webshop Article Group Supplier Header Assets

Catalog: EZBase

Label: Webshop Article Group Supplier Header Assets

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupSupplierHeaderAssets

Base XPath: `/Webshop`

XPath: `/ArticleGroups/ArticleGroup/SupplierHeaders/SupplierHeader/Assets/Asset`

Table Columns

The columns of the table `WebshopArticleGroupSupplierHeaderAssets` are shown below. Each column has an SQL data type.

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
ASSETS_SUPPLIERHEADER_DESCRIPTION	string			
ASSETS_SUPPLIERHEADER_ID_ATTR	int32			
ASSETS_SUPPLIERHEADER_NAME_ATTR	string			
ASSETS_SUPPLIERHEADER_SPLITMODE_ATTR	string			
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ASSETS	string	Article Group Assets		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_BRAND	string	Article Group Brand		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_KIND	string	Article Group Kind		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_NAME	string	Article Group Name		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_TEMPLATE	string	Article Group Template		
CATEGORY_ATTR	int32	Category		
DESCRIPTION	string	Description		
ID_ATTR	string	ID		
INTERFACE_URL	string(4000)	Interface URL	☑	
ORIGINALEXTENSION	string	Original Extension		
ORIGINALFILE	string	Original File		
POSITION_ATTR	int32	Position		
THUMBNAILURL	string	Thumbnail (URL)		
TYPE_ATTR	string	Type		
URL	string	URL		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

3.1.29 WebshopArticleGroupSupplierHeaders: EZ-base Webshop Article Group Supplier Headers

Catalog: EZBase

Label: Webshop Article Group Supplier Headers

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopArticleGroupSupplierHeaders

Base XPath: `/Webshop`

XPath: `/ArticleGroups/ArticleGroup/SupplierHeaders/SupplierHeader`

Table Columns

The columns of the table `WebshopArticleGroupSupplierHeaders` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ASSETS	string	Assets		
DESCRIPTION	string	Description		
ID_ATTR	int32	ID		
INTERFACE_URL	string(4000)	Interface URL	☑	
NAME_ATTR	string	Name		
SPLITMODE_ATTR	string			
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR	int32	Language		
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR	string	Company Name		
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR	decimal	Version		
SUPPLIERHEADERS_ARTICLEGROUP_ASSETS	string	Article Group Assets		
SUPPLIERHEADERS_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR	boolean	Edit Data Specification Bullets		
SUPPLIERHEADERS_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR	boolean	Edit Data Transposed		
SUPPLIERHEADERS_ARTICLEGROUP_BRAND	string	Article Group Brand		
SUPPLIERHEADERS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR	int32	Classification ID		
SUPPLIERHEADERS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR	string	Classification Name		
SUPPLIERHEADERS_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR	string	ETIM Class Code		
SUPPLIERHEADERS_ARTICLEGROUP_ID_ATTR	int32	Article Group ID		
SUPPLIERHEADERS_ARTICLEGROUP_KIND	string	Article Group Kind		
SUPPLIERHEADERS_ARTICLEGROUP_LEGACYID_ATTR	string	Article Group Legacy ID		
SUPPLIERHEADERS_ARTICLEGROUP_MANUFACTURERGLN	string	Article Group Manufacturer GLN		
SUPPLIERHEADERS_ARTICLEGROUP_NAME	string	Article Group Name		
SUPPLIERHEADERS_ARTICLEGROUP_POSITION_ATTR	int32	Article Group Position		
SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR	string	State Available First		
SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR	string	State Available Last		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
SUPPLIERHEADERS_ARTICLEGROUP_STATES_BLUEPENCIL	string	State Edit		
SUPPLIERHEADERS_ARTICLEGROUP_STATES_CLASSIFICATION	string	State Classification		
SUPPLIERHEADERS_ARTICLEGROUP_STATES_CONFIRM	string	State Confirm		
SUPPLIERHEADERS_ARTICLEGROUP_STATES_LIFETIME	string	State Life Time		
SUPPLIERHEADERS_ARTICLEGROUP_STATES_PRODUCTION	string	State Production		
SUPPLIERHEADERS_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR	string	Article Group Supplier Data Provider GLN		
SUPPLIERHEADERS_ARTICLEGROUP_SUPPLIER_GLN_ATTR	string	Article Group Supplier GLN		
SUPPLIERHEADERS_ARTICLEGROUP_SUPPLIER_ID_ATTR	int32	Article Group Supplier ID		
SUPPLIERHEADERS_ARTICLEGROUP_SUPPLIER_NAME_ATTR	string	Article Group Supplier Name		
SUPPLIERHEADERS_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR	string	Article Group Supplier Purchase Combination GLN		
SUPPLIERHEADERS_ARTICLEGROUP_TEMPLATE	string	Article Group Template		

3.1.30 WebshopAssetCategories: EZ-base Webshop Asset Categories

Catalog: EZBase

Label: Webshop Asset Categories

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopAssetCategories

Base XPath: `/Webshop`

XPath: `/AssetCategories/Category`

Table Columns

The columns of the table `WebshopAssetCategories` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ASSETCATEGORIES_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ASSETCATEGORIES_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
ASSETCATEGORIES_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
ASSETCATEGORIES_WEBSHOP_LANGUAGE_ATTR	int32	Language		
ASSETCATEGORIES_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
ASSETCATEGORIES_WEBSHOP_RELATION_ATTR	string	Company Name		
ASSETCATEGORIES_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
ASSETCATEGORIES_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
ASSETCATEGORIES_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
ASSETCATEGORIES_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
ASSETCATEGORIES_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
ASSETCATEGORIES_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
ASSETCATEGORIES_WEBSHOP_VERSION_ATTR	decimal	Version		
ID_ATTR	int32	ID		
INTERFACE_URL	string(4000)	Interface URL	☑	
NAME_ATTR	string	Name		
TYPE_ATTR	string	Type		

3.1.31 WebshopClassificationNodeAssets: EZ-base Webshop Classification Node Assets

Catalog: EZBase

Label: Webshop Classification Node Assets

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopClassificationNodeAssets

Base XPath: `/Webshop`

XPath: `/Classification/Node/Assets/Asset`

Table Columns

The columns of the table `WebshopClassificationNodeAssets` are shown below. Each column has an SQL data type.

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
ASSETS_NODE_BODY	string	Classification Node Body Text		
ASSETS_NODE_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ASSETS_NODE_CLASSIFICATION_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
ASSETS_NODE_CLASSIFICATION_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
ASSETS_NODE_CLASSIFICATION_WEBSHOP_LANGUAGE_ATTR	int32	Language		
ASSETS_NODE_CLASSIFICATION_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
ASSETS_NODE_CLASSIFICATION_WEBSHOP_RELATION_ATTR	string	Company Name		
ASSETS_NODE_CLASSIFICATION_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
ASSETS_NODE_CLASSIFICATION_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
ASSETS_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
ASSETS_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
ASSETS_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
ASSETS_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
ASSETS_NODE_CLASSIFICATION_WEBSHOP_VERSION_ATTR	decimal	Version		
ASSETS_NODE_CODE_ATTR	string	Classification Node Code		
ASSETS_NODE_DEPTH_ATTR	int32	Classification Node Depth		
ASSETS_NODE_DESCRIPTION	string	Classification Node Description		
ASSETS_NODE_ID_ATTR	int32	Classification Node ID		
ASSETS_NODE_NAME	string	Classification Node Name		
ASSETS_NODE_OWNINFORMATION_BODY	string	Classification Node Own Information Body Text		
ASSETS_NODE_OWNINFORMATION_DESCRIPTION	string	Classification Node Own Information Description		
ASSETS_NODE_OWNINFORMATION_TITLE	string	Classification Node Own Information Title		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
ASSETS_NODE_PARENT_ATTR	int32	Classification Node Parent		
ASSETS_NODE_POSITION_ATTR	int32	Classification Node Position		
ASSETS_NODE_TITLE	string	Classification Node Title		
CATEGORY_ATTR	int32	Category		
DESCRIPTION	string	Description		
ID_ATTR	string	ID		
INTERFACE_URL	string(4000)	Interface URL	☑	
ORIGINALEXTENSION	string	Original Extension		
ORIGINALFILE	string	Original File		
POSITION_ATTR	int32	Position		
THUMBNAILURL	string	Thumbnail (URL)		
TYPE_ATTR	string	Type		
URL	string	URL		

3.1.32 WebshopClassificationNodePersonalHeaders: EZ-base Webshop Classification Node Personal Headers

Catalog: EZBase

Label: Webshop Classification Node Personal Headers

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopClassificationNodePersonalHeaders

Base XPath: `/Webshop`

XPath: `/Classification/Node/OwnInformation/PersonalHeaders/Header`

Table Columns

The columns of the table `WebshopClassificationNodePersonalHeaders` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ID_ATTR	int32	ID		
INTERFACE_URL	string(4000)	Interface URL	☑	
ISNORMALIZED_ATTR	boolean	Is Normalized		
NAME_ATTR	string	Name		
PERSONALHEADERS_OWNINFORMATION_BODY	string	Classification Node Own Information Body Text		
PERSONALHEADERS_OWNINFORMATION_DESCRIPTION	string	Classification Node Own Information Description		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
PERSONALHEADERS_OWNINFORMATION_NODE_ASSETS	string	Classification Node Assets		
PERSONALHEADERS_OWNINFORMATION_NODE_BODY	string	Classification Node Body Text		
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_NAME_ATTR	string	Classification Name		
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_LANGUAGE_ATTR	int32	Language		
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_RELATION_ATTR	string	Company Name		
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_VERSION_ATTR	decimal	Version		
PERSONALHEADERS_OWNINFORMATION_NODE_CODE_ATTR	string	Classification Node Code		
PERSONALHEADERS_OWNINFORMATION_NODE_DEPTH_ATTR	int32	Classification Node Depth		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
PERSONALHEADERS_OWNINFORMATION_NODE_DESCRIPTION	string	Classification Node Description		
PERSONALHEADERS_OWNINFORMATION_NODE_ID_ATTR	int32	Classification Node ID		
PERSONALHEADERS_OWNINFORMATION_NODE_NAME	string	Classification Node Name		
PERSONALHEADERS_OWNINFORMATION_NODE_PARENT_ATTR	int32	Classification Node Parent		
PERSONALHEADERS_OWNINFORMATION_NODE_POSITION_ATTR	int32	Classification Node Position		
PERSONALHEADERS_OWNINFORMATION_NODE_TITLE	string	Classification Node Title		
PERSONALHEADERS_OWNINFORMATION_TITLE	string	Classification Node Own Information Title		
POSITION_ATTR	int32	Position		

3.1.33 WebshopClassificationNodes: EZ-base Webshop Classification Nodes

Catalog: EZBase

Label: Webshop Classification Nodes

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopClassificationNodes

Base XPath: `/Webshop`

XPath: `/Classification/Node`

Table Columns

The columns of the table `WebshopClassificationNodes` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
ASSETS	string	Assets		
BODY	string	Body Text		
CLASSIFICATION_NAME_ATTR	string	Classification Name		
CLASSIFICATION_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
CLASSIFICATION_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
CLASSIFICATION_WEBSHOP_LANGUAGE_ATTR	int32	Language		
CLASSIFICATION_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
CLASSIFICATION_WEBSHOP_RELATION_ATTR	string	Company Name		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
CLASSIFICATION_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
CLASSIFICATION_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
CLASSIFICATION_WEBSHOP_VERSION_ATTR	decimal	Version		
CODE_ATTR	string	Code		
DEPTH_ATTR	int32	Depth		
DESCRIPTION	string	Description		
ID_ATTR	int32	ID		
INTERFACE_URL	string(4000)	Interface URL	☑	
NAME	string	Name		
OWNINFORMATION_BODY	string	Own Information Body Text		
OWNINFORMATION_DESCRIPTION	string	Own Information Description		
OWNINFORMATION_TITLE	string	Own Information Title		
PARENT_ATTR	int32	Parent		
POSITION_ATTR	int32	Position		
TITLE	string	Title		

3.1.34 WebshopClassificationNodeSynonyms: EZ-base Webshop Classification Node Synonyms

Catalog: EZBase

Label: Webshop Classification Node Synonyms

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopClassificationNodeSynonyms

Base XPath: `/Webshop`

XPath: `/Classification/Node/Synonyms/Synonym`

Table Columns

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

The columns of the table `WebshopClassificationNodeSynonyms` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
INTERFACE_URL	string(4000)	Interface URL	☑	
SYNONYM	string	Synonym		
SYNONYMS_NODE_ASSETS	string	Classification Node Assets		
SYNONYMS_NODE_BODY	string	Classification Node Body Text		
SYNONYMS_NODE_CLASSIFICATION_NAME_ATTR	string	Classification Name		
SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_LANGUAGE_ATTR	int32	Language		
SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_RELATION_ATTR	string	Company Name		
SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_VERSION_ATTR	decimal	Version		
SYNONYMS_NODE_CODE_ATTR	string	Classification Node Code		
SYNONYMS_NODE_DEPTH_ATTR	int32	Classification Node Depth		
SYNONYMS_NODE_DESCRIPTION	string	Classification Node Description		
SYNONYMS_NODE_ID_ATTR	int32	Classification Node ID		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
SYNONYMS_NODE_NAME	string	Classification Node Name		
SYNONYMS_NODE_OWNINFORMATION_BODY	string	Classification Node Own Information Body Text		
SYNONYMS_NODE_OWNINFORMATION_DESCRIPTION	string	Classification Node Own Information Description		
SYNONYMS_NODE_OWNINFORMATION_TITLE	string	Classification Node Own Information Title		
SYNONYMS_NODE_PARENT_ATTR	int32	Classification Node Parent		
SYNONYMS_NODE_POSITION_ATTR	int32	Classification Node Position		
SYNONYMS_NODE_TITLE	string	Classification Node Title		

3.1.35 WebshopClassifications: EZ-base Webshop Classifications

Catalog: EZBase

Label: Webshop Classifications

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopClassifications

Base XPath: `/Webshop`

XPath: `/Classification`

Table Columns

The columns of the table `WebshopClassifications` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
INTERFACE_URL	string(4000)	Interface URL	☑	
NAME_ATTR	string	Name		
WEBSHOP_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
WEBSHOP_LANGUAGE_ATTR	int32	Language		
WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
WEBSHOP_RELATION_ATTR	string	Company Name		
WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
		Classifications Displayed		
WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
WEBSHOP_VERSION_ATTR	decimal	Version		

3.1.36 WebshopEtimGroupClasses: EZ-base Webshop ETIM Group Classes

Catalog: EZBase

Label: Webshop ETIM Group Classes

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopEtimGroupClasses

Base XPath: `/Webshop`

XPath: `/Etim/Eg/Ec`

Table Columns

The columns of the table `WebshopEtimGroupClasses` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CODE_ATTR	string	Code		
DESCRIPTION	string	Description		
EG_CODE_ATTR	string	ETIM Group Code		
EG_DESCRIPTION	string	ETIM Group Description		
EG_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
EG_ETIM_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
EG_ETIM_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
EG_ETIM_WEBSHOP_LANGUAGE_ATTR	int32	Language		
EG_ETIM_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
EG_ETIM_WEBSHOP_RELATION_ATTR	string	Company Name		
EG_ETIM_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
EG_ETIM_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
EG_ETIM_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
EG_ETIM_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
EG_ETIM_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
EG_ETIM_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
EG_ETIM_WEBSHOP_VERSION_ATTR	decimal	Version		
INTERFACE_URL	string(4000)	Interface URL	☑	

3.1.37 WebshopEtimGroupClassFeatures: EZ-base Webshop ETIM Group Class Features

Catalog: EZBase

Label: Webshop ETIM Group Class Features

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopEtimGroupClassFeatures

Base XPath: `/Webshop`

XPath: `/Etim/Eg/Ec/Features/Ef`

Table Columns

The columns of the table `WebshopEtimGroupClassFeatures` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CODE_ATTR	string	Code		
DESCRIPTION	string	Description		
EU_CODE_ATTR	string	ETIM Unit Code		
EU	string	ETIM Unit		
FEATURES_EC_CODE_ATTR	string	ETIM Group Class Code		
FEATURES_EC_DESCRIPTION	string	ETIM Group Class Description		
FEATURES_EC_EG_CODE_ATTR	string	ETIM Group Code		
FEATURES_EC_EG_DESCRIPTION	string	ETIM Group Description		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Name	Data Type	Label	Required	Documentation
FEATURES_EC_EG_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
FEATURES_EC_EG_ETIM_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
FEATURES_EC_EG_ETIM_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
FEATURES_EC_EG_ETIM_WEBSHOP_LANGUAGE_ATTR	int32	Language		
FEATURES_EC_EG_ETIM_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
FEATURES_EC_EG_ETIM_WEBSHOP_RELATION_ATTR	string	Company Name		
FEATURES_EC_EG_ETIM_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
FEATURES_EC_EG_ETIM_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
FEATURES_EC_EG_ETIM_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
FEATURES_EC_EG_ETIM_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
FEATURES_EC_EG_ETIM_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
FEATURES_EC_EG_ETIM_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
FEATURES_EC_EG_ETIM_WEBSHOP_VERSION_ATTR	decimal	Version		
INTERFACE_URL	string(4000)	Interface URL	☑	
POSITION_ATTR	int32	Position		
TYPE_ATTR	string	Type		

3.1.38 WebshopEtimGroupClassSynonyms: EZ-base Webshop ETIM Group Class Synonyms

Catalog: EZBase

Label: Webshop ETIM Group Class Synonyms

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopEtimGroupClassSynonyms

Base XPath: `/Webshop`

XPath: `/Etim/Eg/Ec/Synonyms/Synonym`

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Table Columns

The columns of the table `WebshopEtimGroupClassSynonyms` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
INTERFACE_URL	string(4000)	Interface URL	☑	
SYNONYM	string	Synonym		
SYNONYMS_EC_CODE_ATTR	string	ETIM Group Class Code		
SYNONYMS_EC_DESCRIPTION	string	ETIM Group Class Description		
SYNONYMS_EC_EG_CODE_ATTR	string	ETIM Group Code		
SYNONYMS_EC_EG_DESCRIPTION	string	ETIM Group Description		
SYNONYMS_EC_EG_ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
SYNONYMS_EC_EG_ETIM_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
SYNONYMS_EC_EG_ETIM_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
SYNONYMS_EC_EG_ETIM_WEBSHOP_LANGUAGE_ATTR	int32	Language		
SYNONYMS_EC_EG_ETIM_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
SYNONYMS_EC_EG_ETIM_WEBSHOP_RELATION_ATTR	string	Company Name		
SYNONYMS_EC_EG_ETIM_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
SYNONYMS_EC_EG_ETIM_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
SYNONYMS_EC_EG_ETIM_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
SYNONYMS_EC_EG_ETIM_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
SYNONYMS_EC_EG_ETIM_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
SYNONYMS_EC_EG_ETIM_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
SYNONYMS_EC_EG_ETIM_WEBSHOP_VERSION_ATTR	decimal	Version		

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

3.1.39 WebshopEtimGroups: EZ-base Webshop ETIM Groups

Catalog: EZBase

Label: Webshop ETIM Groups

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: WebshopEtimGroups

Base XPath: `/Webshop`

XPath: `/Etim/Eg`

Table Columns

The columns of the table `WebshopEtimGroups` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CODE_ATTR	string	Code		
DESCRIPTION	string	Description		
ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
ETIM_WEBSHOP_CLASSIFICATION_NAME_ATTR	string	Classification Name		
ETIM_WEBSHOP_EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
ETIM_WEBSHOP_LANGUAGE_ATTR	int32	Language		
ETIM_WEBSHOP_RECEIVERGLN_ATTR	string	Receiver GLN		
ETIM_WEBSHOP_RELATION_ATTR	string	Company Name		
ETIM_WEBSHOP_RELATIONGLN_ATTR	string	Company GLN		
ETIM_WEBSHOP_SENDERGLN_ATTR	string	Sender GLN		
ETIM_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
ETIM_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
ETIM_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
ETIM_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
ETIM_WEBSHOP_VERSION_ATTR	decimal	Version		
INTERFACE_URL	string(4000)	Interface URL	☑	

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

3.1.40 Webshops: EZ-base Webshops

Catalog: EZBase

Label: Webshops

The data in this table is partitioned per value of the column.

Retrieve: true

Topic: Webshops

Base XPath: `/Webshop`

Table Columns

The columns of the table `Webshops` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
CLASSIFICATION_NAME_ATTR	string	Classification Name		
ETIM_VERSIONNUMBER_ATTR	string	ETIM Classification		
EXPORTSELECTIONNAME_ATTR	string	Export Selection Name		
INTERFACE_URL	string(4000)	Interface URL	☑	
LANGUAGE_ATTR	int32	Language		
RECEIVERGLN_ATTR	string	Receiver GLN		
RELATION_ATTR	string	Company Name		
RELATIONGLN_ATTR	string	Company GLN		
SENDERGLN_ATTR	string	Sender GLN		
TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL	int32	Export Settings Maximum Number of Classifications Displayed		
TEMPLATESETTINGS_DISPLAYSYNONYMS	boolean	Export Settings Display Synonyms		
TEMPLATESETTINGS_IMAGECOUNT	int32	Export Settings Number of Images Displayed		
TEMPLATESETTINGS_PROPERTYCOUNT	int32	Export Settings Number of Properties Displayed		
VERSION_ATTR	decimal	Version		

4 Schema: CodeValues

4.1 Tables

4.1.1 Acronyms: EZ-base Domain Acronyms

Lookup-table that translates code values of the domain 'Acronyms' into descriptions.

Catalog: EZBase

Schema: CodeValues

Label: Domain Acronyms

Example: The code value 'EU' means 'Unit'.

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Retrieve: true

View Columns

The columns of the view `Acronyms` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
code	string(240)	Code	☑	Unique code within the domain.
description	string(240)	Description	☐	Meaning of the unique code within the domain.
domain	string(240)	Domain	☑	Each domain defines a map of codes to values.

Values

Code	Description
EC	Class
EF	Feature
EG	ETIM Group
EU	Unit
EV	Value
GTIN	Global Trade Item Number

4.1.2 EtimFeatureTypes: EZ-base Domain EtimFeatureTypes

Lookup-table that translates code values of the domain 'EtimFeatureTypes' into descriptions.

Catalog: EZBase

Schema: CodeValues

Label: Domain EtimFeatureTypes

Example: The code value 'A' means 'Alphanumeric'.

Retrieve: true

View Columns

The columns of the view `EtimFeatureTypes` are shown below. Each column has an SQL data type.

Name	Data Type	Label	Required	Documentation
code	string(240)	Code	☑	Unique code within the domain.
description	string(240)	Description	☐	Meaning of the unique code within the domain.
domain	string(240)	Domain	☑	Each domain defines a map of codes to values.

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Values

Code	Description
A	Alphanumeric
L	Logical boolean
N	Numeric
R	Range

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Index

- A -

ABC Classification 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67

- E -

ETIM Class Code 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101

- L -

Life Time 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67

- O -

Own Article Number 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67
Own Description 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67
Own Purchase Combination Number 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67
Own State 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67

- S -

Selection 35
State 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67
Synonym 109, 114
Acronyms 117
analysis-enforce-row-uniqueness 2
Article Article GTIN 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67
Article Article Number 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67
Article Assets 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67
Article Available State End 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67
Article Available State Start 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67
Article CBS Article Class Number 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67
Article Description 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67
Article Group Assets 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 73, 77, 80, 83, 85, 90, 92, 95, 97, 101
Article Group Brand 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 90, 92, 95, 97, 101
Article Group ID 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 90, 92, 95, 97, 101
Article Group Kind 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 90, 92, 95, 97, 101
Article Group Legacy ID 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 90, 92, 95, 97, 101
Article Group Manufacturer GLN 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 90, 92, 95, 97, 101
Article Group Name 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 90, 92, 95, 97, 101
Article Group Normalized Header 85
Article Group Position 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 90, 92, 95, 97, 101
Article Group Specification Property 90
Article Group Supplier Data Provider GLN 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 90, 92, 95, 97, 101
Article Group Supplier GLN 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 90, 92, 95, 97, 101
Article Group Supplier ID 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 90, 92, 95, 97, 101
Article Group Supplier Name 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 90, 92, 95, 97, 101
Article Group Supplier Purchase Combination GLN 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 90, 92, 95, 97, 101
Article Group Template 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 90, 92, 95, 97, 101
Article GTIN 51
Article ID 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67
Article Manufacturer Article EAN 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67
Article Manufacturer Article Number 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67
Article Normalized Property Header 19
Article Normalized Property Value 19

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Article Number 51
Article Own Information Free Field 23
Article Own Information Personal Property 27
Article Own Information Synonym 39
Article Position 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67
Article Sub Group 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67
Article Type Number 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 54, 59, 63, 67
ARTICLEDESCRIPTION 43
ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 88
ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 88
ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 88
ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 88
ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 88
ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 88
ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 88
ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 88
ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 88
ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 88
ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 88
ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 88
ARTICLEGROUPS_WEBSHOP_VERSION_ATTR 88
ARTICLEGTIN 51
ARTICLENUMBER 51
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 51
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 51
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 51
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 51
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 51
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 51
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 51
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 51
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 51
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 51
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 51
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 51
ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR 51
ARTICLES_ARTICLEGROUP_ASSETS 51
ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 51
ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR 51
ARTICLES_ARTICLEGROUP_BRAND 51
ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 51
ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 51
ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 51
ARTICLES_ARTICLEGROUP_ID_ATTR 51
ARTICLES_ARTICLEGROUP_KIND 51
ARTICLES_ARTICLEGROUP_LEGACYID_ATTR 51
ARTICLES_ARTICLEGROUP_MANUFACTURERGLN 51
ARTICLES_ARTICLEGROUP_NAME 51
ARTICLES_ARTICLEGROUP_POSITION_ATTR 51
ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 51
ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 51
ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL 51
ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION 51
ARTICLES_ARTICLEGROUP_STATES_CONFIRM 51
ARTICLES_ARTICLEGROUP_STATES_LIFETIME 51
ARTICLES_ARTICLEGROUP_STATES_PRODUCTION 51
ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 51
ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR 51
ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR 51

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR 51
ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 51
ARTICLES_ARTICLEGROUP_TEMPLATE 51
ARTICLESUBGROUP_ATTR 51
ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 95
ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 95
ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 95
ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 95
ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 95
ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 95
ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 95
ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 95
ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 95
ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 95
ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 95
ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 95
ARTICLESUBGROUPS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR 95
ARTICLESUBGROUPS_ARTICLEGROUP_ASSETS 95
ARTICLESUBGROUPS_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 95
ARTICLESUBGROUPS_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR 95
ARTICLESUBGROUPS_ARTICLEGROUP_BRAND 95
ARTICLESUBGROUPS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 95
ARTICLESUBGROUPS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 95
ARTICLESUBGROUPS_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 95
ARTICLESUBGROUPS_ARTICLEGROUP_ID_ATTR 95
ARTICLESUBGROUPS_ARTICLEGROUP_KIND 95
ARTICLESUBGROUPS_ARTICLEGROUP_LEGACYID_ATTR 95
ARTICLESUBGROUPS_ARTICLEGROUP_MANUFACTURERGLN 95
ARTICLESUBGROUPS_ARTICLEGROUP_NAME 95
ARTICLESUBGROUPS_ARTICLEGROUP_POSITION_ATTR 95
ARTICLESUBGROUPS_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 95
ARTICLESUBGROUPS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 95
ARTICLESUBGROUPS_ARTICLEGROUP_STATES_BLUEPENCIL 95
ARTICLESUBGROUPS_ARTICLEGROUP_STATES_CLASSIFICATION 95
ARTICLESUBGROUPS_ARTICLEGROUP_STATES_CONFIRM 95
ARTICLESUBGROUPS_ARTICLEGROUP_STATES_LIFETIME 95
ARTICLESUBGROUPS_ARTICLEGROUP_STATES_PRODUCTION 95
ARTICLESUBGROUPS_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 95
ARTICLESUBGROUPS_ARTICLEGROUP_SUPPLIERGLN_ATTR 95
ARTICLESUBGROUPS_ARTICLEGROUP_SUPPLIERID_ATTR 95
ARTICLESUBGROUPS_ARTICLEGROUP_SUPPLIER_NAME_ATTR 95
ARTICLESUBGROUPS_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 95
ARTICLESUBGROUPS_ARTICLEGROUP_TEMPLATE 95
ARTICLETABLEHEADER_ASSETS 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 77

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ASSETS 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_BRAND 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ID_ATTR 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_KIND 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_LEGACYID_ATTR 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_MANUFACTURERGLN 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_NAME 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_POSITION_ATTR 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_BLUEPENCIL 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_CLASSIFICATION 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_CONFIRM 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_LIFETIME 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_PRODUCTION 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_GLN_ATTR 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_ID_ATTR 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_NAME_ATTR 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 77
ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_TEMPLATE 77
ARTICLETABLEHEADER_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 77
ARTICLETABLEHEADER_BLUEPENCILDATA_TRANSPOSED_ATTR 77
ARTICLETABLEHEADER_HEADERID_ATTR 77
ARTICLETABLEHEADER_ID_ATTR 77
ARTICLETABLEHEADER_ISGROUPED_ATTR 77
ARTICLETABLEHEADER_ISHIDDEN_ATTR 77
ARTICLETABLEHEADER_NAME 77
ARTICLETABLEHEADER_POSITION_ATTR 77
ARTICLETABLEHEADER_SEPARATOR_ATTR 77
ARTICLETABLEHEADER_TOSPECIFICATION_ATTR 77
ASSETCATEGORIES_WEBSHOP_CLASSIFICATION_NAME_ATTR 103
ASSETCATEGORIES_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 103
ASSETCATEGORIES_WEBSHOP_EXPORTSELECTIONNAME_ATTR 103
ASSETCATEGORIES_WEBSHOP_LANGUAGE_ATTR 103
ASSETCATEGORIES_WEBSHOP_RECEIVERGLN_ATTR 103
ASSETCATEGORIES_WEBSHOP_RELATION_ATTR 103
ASSETCATEGORIES_WEBSHOP_RELATIONGLN_ATTR 103
ASSETCATEGORIES_WEBSHOP_SENDERGLN_ATTR 103
ASSETCATEGORIES_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 103
ASSETCATEGORIES_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 103

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

ASSETCATEGORIES_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 103
ASSETCATEGORIES_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 103
ASSETCATEGORIES_WEBSHOP_VERSION_ATTR 103
ASSETS 51, 59, 67, 80, 88, 101, 108
ASSETS_ARTICLE_ARTICLEGTIN 5
ASSETS_ARTICLE_ARTICLENUMBER 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_KIND 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_NAME 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 5
ASSETS_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE 5
ASSETS_ARTICLE_ARTICLESUBGROUP_ATTR 5
ASSETS_ARTICLE_CBSNUMBER 5
ASSETS_ARTICLE_DESCRIPTION 5
ASSETS_ARTICLE_ID_ATTR 5
ASSETS_ARTICLE_MANUFACTURERARTICLEGTIN 5
ASSETS_ARTICLE_MANUFACTURERARTICLENUMBER 5
ASSETS_ARTICLE_OWNINFORMATION_ABCCLASSIFICATION 5

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

ASSETS_ARTICLE_OWNINFORMATION_OWNARTICLENUMBER 5
ASSETS_ARTICLE_OWNINFORMATION_OWNDESCRIPTION 5
ASSETS_ARTICLE_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER 5
ASSETS_ARTICLE_OWNINFORMATION_OWNSTATE 5
ASSETS_ARTICLE_POSITION_ATTR 5
ASSETS_ARTICLE_STATES_AVAILABLE_END_ATTR 5
ASSETS_ARTICLE_STATES_AVAILABLE_START_ATTR 5
ASSETS_ARTICLE_STATES_LIFETIME 5
ASSETS_ARTICLE_STATES_STATE 5
ASSETS_ARTICLE_TYPENUMBER 5
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 71
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 71
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 71
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 71
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 71
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 71
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 71
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 71
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 71
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 71
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 71
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 71
ASSETS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR 71
ASSETS_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 71
ASSETS_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR 71
ASSETS_ARTICLEGROUP_BRAND 71
ASSETS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 71
ASSETS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 71
ASSETS_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 71
ASSETS_ARTICLEGROUP_ID_ATTR 71
ASSETS_ARTICLEGROUP_KIND 71
ASSETS_ARTICLEGROUP_LEGACYID_ATTR 71
ASSETS_ARTICLEGROUP_MANUFACTURERGLN 71
ASSETS_ARTICLEGROUP_NAME 71
ASSETS_ARTICLEGROUP_POSITION_ATTR 71
ASSETS_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 71
ASSETS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 71
ASSETS_ARTICLEGROUP_STATES_BLUEPENCIL 71
ASSETS_ARTICLEGROUP_STATES_CLASSIFICATION 71
ASSETS_ARTICLEGROUP_STATES_CONFIRM
ASSETS_ARTICLEGROUP_STATES_LIFETIME 71
ASSETS_ARTICLEGROUP_STATES_PRODUCTION 71
ASSETS_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 71
ASSETS_ARTICLEGROUP_SUPPLIER_GLN_ATTR 71
ASSETS_ARTICLEGROUP_SUPPLIER_ID_ATTR 71
ASSETS_ARTICLEGROUP_SUPPLIER_NAME_ATTR 71
ASSETS_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 71
ASSETS_ARTICLEGROUP_TEMPLATE 71
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 73

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ASSETS 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_BRAND 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_ID_ATTR 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_KIND 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_LEGACYID_ATTR 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_MANUFACTURERGLN 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_NAME 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_POSITION_ATTR 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_AVAILABLE_FIRSTATTR 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_AVAILABLE_LASTATTR 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_BLUEPENCIL 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_CLASSIFICATION 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_CONFIRM 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_LIFETIME 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_STATES_PRODUCTION 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_GLN_ATTR 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_ID_ATTR 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_NAME_ATTR 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_ARTICLEGROUP_TEMPLATE 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 73
ASSETS_ARTICLETABLEHEADER_BLUEPENCILDATA_TRANSPOSED_ATTR 73
ASSETS_ARTICLETABLEHEADER_HEADERID_ATTR 73
ASSETS_ARTICLETABLEHEADER_ID_ATTR 73
ASSETS_ARTICLETABLEHEADER_ISGROUPED_ATTR 73
ASSETS_ARTICLETABLEHEADER_ISHIDDEN_ATTR 73
ASSETS_ARTICLETABLEHEADER_NAME 73
ASSETS_ARTICLETABLEHEADER_POSITION_ATTR 73
ASSETS_ARTICLETABLEHEADER_SEPARATOR_ATTR 73
ASSETS_ARTICLETABLEHEADER_TOSPECIFICATION_ATTR 73
ASSETS_NODE_BODY 104
ASSETS_NODE_CLASSIFICATION_NAME_ATTR 104
ASSETS_NODE_CLASSIFICATION_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 104
ASSETS_NODE_CLASSIFICATION_WEBSHOP_EXPORTSELECTIONNAME_ATTR 104
ASSETS_NODE_CLASSIFICATION_WEBSHOP_LANGUAGE_ATTR 104
ASSETS_NODE_CLASSIFICATION_WEBSHOP_RECEIVERGLN_ATTR 104
ASSETS_NODE_CLASSIFICATION_WEBSHOP_RELATION_ATTR 104
ASSETS_NODE_CLASSIFICATION_WEBSHOP_RELATIONGLN_ATTR 104
ASSETS_NODE_CLASSIFICATION_WEBSHOP_SENDERGLN_ATTR 104

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

ASSETS_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 104
ASSETS_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 104
ASSETS_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 104
ASSETS_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 104
ASSETS_NODE_CLASSIFICATION_WEBSHOP_VERSION_ATTR 104
ASSETS_NODE_CODE_ATTR 104
ASSETS_NODE_DEPTH_ATTR 104
ASSETS_NODE_DESCRIPTION 104
ASSETS_NODE_ID_ATTR 104
ASSETS_NODE_NAME 104
ASSETS_NODE_OWNINFORMATION_BODY 104
ASSETS_NODE_OWNINFORMATION_DESCRIPTION 104
ASSETS_NODE_OWNINFORMATION_TITLE 104
ASSETS_NODE_PARENT_ATTR 104
ASSETS_NODE_POSITION_ATTR 104
ASSETS_NODE_TITLE 104
ASSETS_PROPERTY_EZBASEUNIT_ATTR 54
ASSETS_PROPERTY_EZBASEUNITCATEGORY_ATTR 54
ASSETS_PROPERTY_EZBASEUNITDESCRIPTION_ATTR 54
ASSETS_PROPERTY_HEADER_ATTR 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLEGTIN 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLENUMBER 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_KIND 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_NAME 54

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_IDATTR 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ARTICLESUBGROUP_ATTR 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ASSETS 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_CBSNUMBER 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_DESCRIPTION 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_ID_ATTR 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_MANUFACTURERARTICLEGTIN 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_MANUFACTURERARTICLENUMBER 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_OWNINFORMATION_ABCCLASSIFICATION 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_OWNINFORMATION_OWNARTICLENUMBER 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_OWNINFORMATION_OWNDESCRIPTION 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_OWNINFORMATION_OWNSTATE 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_POSITION_ATTR 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_STATES_AVAILABLE_END_ATTR 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_STATES_AVAILABLE_START_ATTR 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_STATES_LIFETIME 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_STATES_STATE 54
ASSETS_PROPERTY_SUPPLIERPROPERTIES_ARTICLE_TYPENUMBER 54
ASSETS_PROPERTY_TABLEHEADER_ATTR 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLEGTIN 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLENUMBER 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 63

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPSEWEBSHOP_SENDERGLN_ATTR 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPSEWEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPSWEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPSWEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPSEWEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPSWEBSHOP_VERSION_ATTR 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATASPECIFICATIONBULLETS_ATTR 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATATRANSPOSED_ATTR 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONSCLASSIFICATION_ID_ATTR 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONSCLASSIFICATION_NAME_ATTR 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONSETIM_ECCODE_ATTR 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_KIND 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_NAME 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ARTICLESUBGROUP_ATTR 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ASSETS 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_CBSNUMBER 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_DESCRIPTION 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_ID_ATTR 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_MANUFACTURERARTICLEGTIN 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_MANUFACTURERARTICLENUMBER 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_OWNINFORMATION_ABCCLASSIFICATION 63

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_OWNINFORMATION_OWNARTICLENUMBER 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_OWNINFORMATION_OWNDESCRIPTION 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_OWNINFORMATION_OWNSTATE 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_POSITION_ATTR 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_STATES_AVAILABLE_END_ATTR 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_STATES_AVAILABLE_START_ATTR 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_STATES_LIFETIME 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_STATES_STATE 63
ASSETS_PROPERTY_TABLEPROPERTIES_ARTICLE_TYPENUMBER 63
ASSETS_PROPERTY_UNIT_ATTR 54
ASSETS_PROPERTY_VALUE 54, 63
ASSETS_SUPPLIERHEADER_DESCRIPTION 97
ASSETS_SUPPLIERHEADER_ID_ATTR 97
ASSETS_SUPPLIERHEADER_NAME_ATTR 97
ASSETS_SUPPLIERHEADER_SPLITMODE_ATTR 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ASSETS 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_BRAND 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_ID_ATTR 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_KIND 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_LEGACYID_ATTR 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_MANUFACTURERGLN 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_NAME 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_POSITION_ATTR 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_STATES_BLUEPENCIL 97

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_STATES_CLASSIFICATION 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_STATES_CONFIRM 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_STATES_LIFETIME 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_STATES_PRODUCTION 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_SUPPLIER_GLN_ATTR 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_SUPPLIER_ID_ATTR 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_SUPPLIER_NAME_ATTR 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 97
ASSETS_SUPPLIERHEADER_SUPPLIERHEADERS_ARTICLEGROUP_TEMPLATE 97
Available State End 51
Available State First 88
Available State Last 88
Available State Start 51
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 80
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 80
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 80
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 80
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 80
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 80
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 80
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 80
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 80
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 80
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 80
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 80
BLUEPENCILDATA_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR 80
BLUEPENCILDATA_ARTICLEGROUP_ASSETS 80
BLUEPENCILDATA_ARTICLEGROUP_BRAND 80
BLUEPENCILDATA_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 80
BLUEPENCILDATA_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 80
BLUEPENCILDATA_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 80
BLUEPENCILDATA_ARTICLEGROUP_ID_ATTR 80
BLUEPENCILDATA_ARTICLEGROUP_KIND 80
BLUEPENCILDATA_ARTICLEGROUP_LEGACYID_ATTR 80
BLUEPENCILDATA_ARTICLEGROUP_MANUFACTURERGLN 80
BLUEPENCILDATA_ARTICLEGROUP_NAME 80
BLUEPENCILDATA_ARTICLEGROUP_POSITION_ATTR 80
BLUEPENCILDATA_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 80
BLUEPENCILDATA_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 80
BLUEPENCILDATA_ARTICLEGROUP_STATES_BLUEPENCIL 80
BLUEPENCILDATA_ARTICLEGROUP_STATES_CLASSIFICATION 80
BLUEPENCILDATA_ARTICLEGROUP_STATES_CONFIRM 80
BLUEPENCILDATA_ARTICLEGROUP_STATES_LIFETIME 80
BLUEPENCILDATA_ARTICLEGROUP_STATES_PRODUCTION 80
BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 80
BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_GLN_ATTR 80
BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_ID_ATTR 80
BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_NAME_ATTR 80
BLUEPENCILDATA_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 80
BLUEPENCILDATA_ARTICLEGROUP_TEMPLATE 80
BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 80, 88
BLUEPENCILDATA_TRANSPOSED_ATTR 80, 88
BODY 108
Body Text 108
BRAND 88

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

bulk-delete-page-size-rows 2
bulk-insert-page-size-bytes 2
bulk-insert-page-size-rows 2
Category 5, 54, 63, 71, 73, 97, 104
CATEGORY_ATTR 5, 54, 63, 71, 73, 97, 104
CBS Article Class Number 51
CBSNUMBER 51
Classification ID 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 85, 88, 90, 92, 95, 97, 101
Classification Name 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101, 103, 104, 106, 108, 109, 112, 113, 114, 116, 117
Classification Node Assets 106, 109
Classification Node Body Text 104, 106, 109
Classification Node Code 104, 106, 109
Classification Node Depth 104, 106, 109
Classification Node Description 104, 106, 109
Classification Node ID 104, 106, 109
Classification Node Name 104, 106, 109
Classification Node Own Information Body Text 104, 106, 109
Classification Node Own Information Description 104, 106, 109
Classification Node Own Information Title 104, 106, 109
Classification Node Parent 104, 106, 109
Classification Node Position 104, 106, 109
Classification Node Title 104, 106, 109
CLASSIFICATION_NAME_ATTR 108, 117
CLASSIFICATION_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 108
CLASSIFICATION_WEBSHOP_EXPORTSELECTIONNAME_ATTR 108
CLASSIFICATION_WEBSHOP_LANGUAGE_ATTR 108
CLASSIFICATION_WEBSHOP_RECEIVERGLN_ATTR 108
CLASSIFICATION_WEBSHOP_RELATION_ATTR 108
CLASSIFICATION_WEBSHOP_RELATIONGLN_ATTR 108
CLASSIFICATION_WEBSHOP_SENDERGLN_ATTR 108
CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 108
CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 108
CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 108
CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 108
CLASSIFICATION_WEBSHOP_VERSION_ATTR 108
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 83
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 83
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 83
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 83
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 83
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 83
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 83
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 83
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 83
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 83
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 83
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 83
CLASSIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR 83
CLASSIFICATIONS_ARTICLEGROUP_ASSETS 83
CLASSIFICATIONS_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 83
CLASSIFICATIONS_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR 83
CLASSIFICATIONS_ARTICLEGROUP_BRAND 83
CLASSIFICATIONS_ARTICLEGROUP_ID_ATTR 83
CLASSIFICATIONS_ARTICLEGROUP_KIND 83
CLASSIFICATIONS_ARTICLEGROUP_LEGACYID_ATTR 83
CLASSIFICATIONS_ARTICLEGROUP_MANUFACTURERGLN 83
CLASSIFICATIONS_ARTICLEGROUP_NAME 83
CLASSIFICATIONS_ARTICLEGROUP_POSITION_ATTR 83
CLASSIFICATIONS_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 83
CLASSIFICATIONS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 83

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

CLASSIFICATIONS_ARTICLEGROUP_STATES_BLUEPENCIL 83
CLASSIFICATIONS_ARTICLEGROUP_STATES_CLASSIFICATION 83
CLASSIFICATIONS_ARTICLEGROUP_STATES_CONFIRM 83
CLASSIFICATIONS_ARTICLEGROUP_STATES_LIFETIME 83
CLASSIFICATIONS_ARTICLEGROUP_STATES_PRODUCTION 83
CLASSIFICATIONS_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 83
CLASSIFICATIONS_ARTICLEGROUP_SUPPLIER_GLN_ATTR 83
CLASSIFICATIONS_ARTICLEGROUP_SUPPLIER_ID_ATTR 83
CLASSIFICATIONS_ARTICLEGROUP_SUPPLIER_NAME_ATTR 83
CLASSIFICATIONS_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 83
CLASSIFICATIONS_ARTICLEGROUP_TEMPLATE 83
CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 88
CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 88
CLASSIFICATIONS_ETIM_ECCODE_ATTR 83, 88
CODE_ATTR 8, 11, 108, 112, 113, 116
Company GLN 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101, 103, 104, 106, 108, 109, 111, 112, 113, 114, 116, 117
Company Name 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101, 103, 104, 106, 108, 109, 111, 112, 113, 114, 116, 117
Copy to Specification 80
Depth 108
DEPTH_ATTR 108
DESCRIPTION 5, 51, 54, 63, 71, 73, 97, 101, 104, 108, 112, 113, 116
Domain 117, 118
Domain Acronyms 117
Domain EtimFeatureTypes 118
Driver 1
Edit Article Table Header Assets 77
Edit Article Table Header Copy to Specification 73, 77
Edit Article Table Header Header ID 73, 77
Edit Article Table Header ID 73, 77
Edit Article Table Header Is Grouped 73, 77
Edit Article Table Header Is Hidden 73, 77
Edit Article Table Header Name 73, 77
Edit Article Table Header Position 73, 77
Edit Article Table Header Separator 73, 77
Edit Data Specification Bullets 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101
Edit Data Transposed 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101
EF_CODE_ATTR 11
EF_ETIM_ARTICLE_ARTICLEGTIN 11
EF_ETIM_ARTICLE_ARTICLENUMBER 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND 11

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_KIND 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_NAME 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 11
EF_ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE 11
EF_ETIM_ARTICLE_ARTICLESUBGROUP_ATTR 11
EF_ETIM_ARTICLE_ASSETS 11
EF_ETIM_ARTICLE_CBSNUMBER 11
EF_ETIM_ARTICLE_DESCRIPTION 11
EF_ETIM_ARTICLE_ID_ATTR 11
EF_ETIM_ARTICLE_MANUFACTURERARTICLEGTIN 11
EF_ETIM_ARTICLE_MANUFACTURERARTICLENUMBER 11
EF_ETIM_ARTICLE_OWNINFORMATION_ABCCLASSIFICATION 11
EF_ETIM_ARTICLE_OWNINFORMATION_OWNARTICLENUMBER 11
EF_ETIM_ARTICLE_OWNINFORMATION_OWNDESCRIPTION 11
EF_ETIM_ARTICLE_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER 11
EF_ETIM_ARTICLE_OWNINFORMATION_OWNSTATE 11
EF_ETIM_ARTICLE_POSITION_ATTR 11
EF_ETIM_ARTICLE_STATES_AVAILABLE_END_ATTR 11
EF_ETIM_ARTICLE_STATES_AVAILABLE_START_ATTR 11
EF_ETIM_ARTICLE_STATES_LIFETIME 11
EF_ETIM_ARTICLE_STATES_STATE 11
EF_ETIM_ARTICLE_TYPENUMBER 11
EG_CODE_ATTR 112
EG_DESCRIPTION 112
EG_ETIM_VERSIONNUMBER_ATTR 112
EG_ETIM_WEBSHOP_CLASSIFICATION_NAME_ATTR 112
EG_ETIM_WEBSHOP_EXPORTSELECTIONNAME_ATTR 112
EG_ETIM_WEBSHOP_LANGUAGE_ATTR 112
EG_ETIM_WEBSHOP_RECEIVERGLN_ATTR 112
EG_ETIM_WEBSHOP_RELATION_ATTR 112
EG_ETIM_WEBSHOP_RELATIONGLN_ATTR 112
EG_ETIM_WEBSHOP_SENDERGLN_ATTR 112
EG_ETIM_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 112
EG_ETIM_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 112
EG_ETIM_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 112
EG_ETIM_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 112
EG_ETIM_WEBSHOP_VERSION_ATTR 112
ETIM Classification 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101, 103, 104, 106, 108, 109, 111, 112, 113, 114, 116, 117
ETIM Feature Code 11
ETIM Feature Value 11
ETIM Group Class Code 113, 114
ETIM Group Class Description 113, 114
ETIM Group Code 112, 113, 114
ETIM Group Description 112, 113, 114
ETIM Unit 113
ETIM Unit Code 113
ETIM_ARTICLE_ARTICLEGTIN 8
ETIM_ARTICLE_ARTICLENUMBER 8

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_KIND 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_NAME 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 8
ETIM_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE 8
ETIM_ARTICLE_ARTICLESUBGROUP_ATTR 8
ETIM_ARTICLE_ASSETS 8
ETIM_ARTICLE_CBSNUMBER 8
ETIM_ARTICLE_DESCRIPTION 8
ETIM_ARTICLE_ID_ATTR 8
ETIM_ARTICLE_MANUFACTURERARTICLEGTIN 8
ETIM_ARTICLE_MANUFACTURERARTICLENUMBER 8
ETIM_ARTICLE_OWNINFORMATION_ABCCLASSIFICATION 8
ETIM_ARTICLE_OWNINFORMATION_OWNARTICLENUMBER 8
ETIM_ARTICLE_OWNINFORMATION_OWNDESCRIPTION 8
ETIM_ARTICLE_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER 8
ETIM_ARTICLE_OWNINFORMATION_OWNSTATE 8
ETIM_ARTICLE_POSITION_ATTR 8
ETIM_ARTICLE_STATES_AVAILABLE_END_ATTR 8
ETIM_ARTICLE_STATES_AVAILABLE_START_ATTR 8
ETIM_ARTICLE_STATES_LIFETIME 8

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

ETIM_ARTICLE_STATES_STATE 8
ETIM_ARTICLE_TYPENUMBER 8
ETIM_VERSIONNUMBER_ATTR 116, 117
ETIM_WEBSHOP_CLASSIFICATION_NAME_ATTR 116
ETIM_WEBSHOP_EXPORTSELECTIONNAME_ATTR 116
ETIM_WEBSHOP_LANGUAGE_ATTR 116
ETIM_WEBSHOP_RECEIVERGLN_ATTR 116
ETIM_WEBSHOP_RELATION_ATTR 116
ETIM_WEBSHOP_RELATIONGLN_ATTR 116
ETIM_WEBSHOP_SENDERGLN_ATTR 116
ETIM_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 116
ETIM_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 116
ETIM_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 116
ETIM_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 116
ETIM_WEBSHOP_VERSION_ATTR 116
EtimFeatureTypes 118
EU 113
EU_CODE_ATTR 113
EV 11
Export Selection Name 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101, 103, 104, 106, 108, 109, 111, 112, 113, 114, 116, 117
Export Settings Display Synonyms 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101, 103, 104, 106, 108, 109, 111, 112, 113, 114, 116, 117
Export Settings Maximum Number of Classifications Displayed 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101, 103, 104, 106, 108, 109, 111, 112, 113, 114, 116, 117
Export Settings Number of Images Displayed 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101, 103, 104, 106, 108, 109, 111, 112, 113, 114, 116, 117
Export Settings Number of Properties Displayed 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101, 103, 104, 106, 108, 109, 111, 112, 113, 114, 116, 117
EXPORTSELECTIONNAME_ATTR 117
EzBase 1
EZ-base 1, 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101, 103, 104, 106, 108, 109, 111, 112, 113, 114, 116, 117, 118
EZBASEUNIT_ATTR 59
EZBASEUNITCATEGORY_ATTR 59
EZBASEUNITDESCRIPTION_ATTR 59
FEATURES_EC_CODE_ATTR 113
FEATURES_EC_DESCRIPTION 113
FEATURES_EC_EG_CODE_ATTR 113
FEATURES_EC_EG_DESCRIPTION 113
FEATURES_EC_EG_ETIM_VERSIONNUMBER_ATTR 113
FEATURES_EC_EG_ETIM_WEBSHOP_CLASSIFICATION_NAME_ATTR 113
FEATURES_EC_EG_ETIM_WEBSHOP_EXPORTSELECTIONNAME_ATTR 113
FEATURES_EC_EG_ETIM_WEBSHOP_LANGUAGE_ATTR 113
FEATURES_EC_EG_ETIM_WEBSHOP_RECEIVERGLN_ATTR 113
FEATURES_EC_EG_ETIM_WEBSHOP_RELATION_ATTR 113
FEATURES_EC_EG_ETIM_WEBSHOP_RELATIONGLN_ATTR 113
FEATURES_EC_EG_ETIM_WEBSHOP_SENDERGLN_ATTR 113
FEATURES_EC_EG_ETIM_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 113
FEATURES_EC_EG_ETIM_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 113
FEATURES_EC_EG_ETIM_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 113
FEATURES_EC_EG_ETIM_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 113
FEATURES_EC_EG_ETIM_WEBSHOP_VERSION_ATTR 113
FIELD 23
FOOTER 92, 95
force-case-sensitive-identifiers 2
forced-casing-identifiers 2
FREEFIELDS_OWNINFORMATION_ABCCLASSIFICATION 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLEGTIN 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLENUMBER 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 23

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_KIND 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_NAME 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ARTICLESUBGROUP_ATTR 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ASSETS 23
FREEFIELDS_OWNINFORMATION_ARTICLE_CBSNUMBER 23
FREEFIELDS_OWNINFORMATION_ARTICLE_DESCRIPTION 23
FREEFIELDS_OWNINFORMATION_ARTICLE_ID_ATTR 23
FREEFIELDS_OWNINFORMATION_ARTICLE_MANUFACTURERARTICLEGTIN 23
FREEFIELDS_OWNINFORMATION_ARTICLE_MANUFACTURERARTICLENUMBER 23
FREEFIELDS_OWNINFORMATION_ARTICLE_POSITION_ATTR 23
FREEFIELDS_OWNINFORMATION_ARTICLE_STATES_AVAILABLE_END_ATTR 23

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

FREEFIELDS_OWNINFORMATION_ARTICLE_STATES_AVAILABLE_START_ATTR 23
FREEFIELDS_OWNINFORMATION_ARTICLE_STATES_LIFETIME 23
FREEFIELDS_OWNINFORMATION_ARTICLE_STATES_STATE 23
FREEFIELDS_OWNINFORMATION_ARTICLE_TYPENUMBER 23
FREEFIELDS_OWNINFORMATION_OWNARTICLENUMBER 23
FREEFIELDS_OWNINFORMATION_OWNDESCRIPTION 23
FREEFIELDS_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER 23
FREEFIELDS_OWNINFORMATION_OWNSTATE 23
Gross Price 43
GROSSPRICE 43
HEADER 15, 27, 59, 92, 95
Header ID 80
HEADER_ATTR 15, 27, 59
HEADERID_ATTR 80
ID_ATTR 5, 31, 47, 51, 54, 63, 71, 73, 80, 83, 85, 88, 95, 97, 101, 103, 104, 106, 108
Interface URL 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101, 103, 104, 106, 108, 109, 111, 112, 113, 114, 116, 117
INTERFACE_URL 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101, 103, 104, 106, 108, 109, 111, 112, 113, 114, 116, 117
invantive-sql-compress-sparse-arrays 2
invantive-sql-correct-invalid-date 2
invantive-sql-forward-filters-to-data-containers 2
invantive-sql-share-byte-arrays 2
invantive-sql-share-strings 2
invantive-sql-shuffle-fetch-results-data-containers 2
invantive-use-cache 2
Is Grouped 80
Is Hidden 80
Is Normalized 106
ISGROUPED_ATTR 80
ISHIDDEN_ATTR 80
ISNORMALIZED_ATTR 106
KIND 88
Language 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101, 103, 104, 106, 108, 109, 111, 112, 113, 114, 116, 117
LANGUAGE_ATTR 117
Legacy ID 88
LEGACYID_ATTR 88
log-native-calls-to-disk-max-events 2
log-native-calls-to-disk-max-seconds 2
log-native-calls-to-disk-on-error 2
log-native-calls-to-disk-on-success 2
log-native-calls-to-trace 2
Manufacturer Article EAN 51
Manufacturer Article Number 51
Manufacturer GLN 88
MANUFACTURERARTICLEGTIN 51
MANUFACTURERARTICLENUMBER 51
MANUFACTURERGLN 88
MAX_ATTR 11, 19
maximum-length-identifiers 2
max-url-length-accepted 2
max-url-length-desired 2
MIN_ATTR 11, 19
Minimum Buying Quantity 43
MINIMUMBUYINGQUANTITY 43
minimum-length-text 2
Name 80, 83, 88, 101, 103, 106, 108, 111
NAME_ATTR 83, 101, 103, 106, 111
Net Price 43
NETPRICE 43
NORMALIZEDHEADER 85
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 85
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 85
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 85
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 85
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 85
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 85
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 85
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 85
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 85
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 85
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 85

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 85
NORMALIZEDHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR 85
NORMALIZEDHEADERS_ARTICLEGROUP_ASSETS 85
NORMALIZEDHEADERS_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 85
NORMALIZEDHEADERS_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR 85
NORMALIZEDHEADERS_ARTICLEGROUP_BRAND 85
NORMALIZEDHEADERS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 85
NORMALIZEDHEADERS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 85
NORMALIZEDHEADERS_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 85
NORMALIZEDHEADERS_ARTICLEGROUP_ID_ATTR 85
NORMALIZEDHEADERS_ARTICLEGROUP_KIND 85
NORMALIZEDHEADERS_ARTICLEGROUP_LEGACYID_ATTR 85
NORMALIZEDHEADERS_ARTICLEGROUP_MANUFACTURERGLN 85
NORMALIZEDHEADERS_ARTICLEGROUP_NAME 85
NORMALIZEDHEADERS_ARTICLEGROUP_POSITION_ATTR 85
NORMALIZEDHEADERS_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 85
NORMALIZEDHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 85
NORMALIZEDHEADERS_ARTICLEGROUP_STATES_BLUEPENCIL 85
NORMALIZEDHEADERS_ARTICLEGROUP_STATES_CLASSIFICATION 85
NORMALIZEDHEADERS_ARTICLEGROUP_STATES_CONFIRM 85
NORMALIZEDHEADERS_ARTICLEGROUP_STATES_LIFETIME 85
NORMALIZEDHEADERS_ARTICLEGROUP_STATES_PRODUCTION 85
NORMALIZEDHEADERS_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 85
NORMALIZEDHEADERS_ARTICLEGROUP_SUPPLIER_GLN_ATTR 85
NORMALIZEDHEADERS_ARTICLEGROUP_SUPPLIER_ID_ATTR 85
NORMALIZEDHEADERS_ARTICLEGROUP_SUPPLIER_NAME_ATTR 85
NORMALIZEDHEADERS_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 85
NORMALIZEDHEADERS_ARTICLEGROUP_TEMPLATE 85
NORMALIZEDPROPERTIES_ARTICLE_ARTICLEGTIN 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLENUMBER 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND 15

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_KIND 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_NAME 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE 15
NORMALIZEDPROPERTIES_ARTICLE_ARTICLESUBGROUP_ATTR 15
NORMALIZEDPROPERTIES_ARTICLE_ASSETS 15
NORMALIZEDPROPERTIES_ARTICLE_CBSNUMBER 15
NORMALIZEDPROPERTIES_ARTICLE_DESCRIPTION 15
NORMALIZEDPROPERTIES_ARTICLE_ID_ATTR 15
NORMALIZEDPROPERTIES_ARTICLE_MANUFACTURERARTICLEGTIN 15
NORMALIZEDPROPERTIES_ARTICLE_MANUFACTURERARTICLENUMBER 15
NORMALIZEDPROPERTIES_ARTICLE_OWNINFORMATION_ABCCLASSIFICATION 15
NORMALIZEDPROPERTIES_ARTICLE_OWNINFORMATION_OWNARTICLENUMBER 15
NORMALIZEDPROPERTIES_ARTICLE_OWNINFORMATION_OWNDESCRIPTION 15
NORMALIZEDPROPERTIES_ARTICLE_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER 15
NORMALIZEDPROPERTIES_ARTICLE_OWNINFORMATION_OWNSTATE 15
NORMALIZEDPROPERTIES_ARTICLE_POSITION_ATTR 15
NORMALIZEDPROPERTIES_ARTICLE_STATES_AVAILABLE_END_ATTR 15
NORMALIZEDPROPERTIES_ARTICLE_STATES_AVAILABLE_START_ATTR 15
NORMALIZEDPROPERTIES_ARTICLE_STATES_LIFETIME 15
NORMALIZEDPROPERTIES_ARTICLE_STATES_STATE 15
NORMALIZEDPROPERTIES_ARTICLE_TYPENUMBER 15
Original Extension 5, 54, 63, 71, 73, 97, 104
Original File 5, 54, 63, 71, 73, 97, 104
ORIGINALEXTENSION 5, 54, 63, 71, 73, 97, 104
ORIGINALFILE 5, 54, 63, 71, 73, 97, 104
Own Information ABC Classification 51
Own Information Body Text 108
Own Information Description 108
Own Information Own Article Number 51
Own Information Own Description 51
Own Information Own Purchase Combination Number 51
Own Information Own State 51
Own Information Title 108
OWNINFORMATION_ABCCLASSIFICATION 51
OWNINFORMATION_BODY 108
OWNINFORMATION_DESCRIPTION 108
OWNINFORMATION_OWNARTICLENUMBER 51
OWNINFORMATION_OWNDESCRIPTION 51
OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER 51
OWNINFORMATION_OWNSTATE 51

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

OWNINFORMATION_TITLE 108
Parent 108
PARENT_ATTR 108
partition-slot-based-rate-limit-length-ms 2
partition-slot-based-rate-limit-slots 2
PERSONALHEADERS_OWNINFORMATION_BODY 106
PERSONALHEADERS_OWNINFORMATION_DESCRIPTION 106
PERSONALHEADERS_OWNINFORMATION_NODE_ASSETS 106
PERSONALHEADERS_OWNINFORMATION_NODE_BODY 106
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_NAME_ATTR 106
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 106
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_EXPORTSELECTIONNAME_ATTR 106
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_LANGUAGE_ATTR 106
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_RECEIVERGLN_ATTR 106
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_RELATION_ATTR 106
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_RELATIONGLN_ATTR 106
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_SENDERGLN_ATTR 106
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 106
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 106
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 106
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 106
PERSONALHEADERS_OWNINFORMATION_NODE_CLASSIFICATION_WEBSHOP_VERSION_ATTR 106
PERSONALHEADERS_OWNINFORMATION_NODE_CODE_ATTR 106
PERSONALHEADERS_OWNINFORMATION_NODE_DEPTH_ATTR 106
PERSONALHEADERS_OWNINFORMATION_NODE_DESCRIPTION 106
PERSONALHEADERS_OWNINFORMATION_NODE_ID_ATTR 106
PERSONALHEADERS_OWNINFORMATION_NODE_NAME 106
PERSONALHEADERS_OWNINFORMATION_NODE_PARENT_ATTR 106
PERSONALHEADERS_OWNINFORMATION_NODE_POSITION_ATTR 106
PERSONALHEADERS_OWNINFORMATION_NODE_TITLE 106
PERSONALHEADERS_OWNINFORMATION_TITLE 106
PERSONALPROPERTIES_OWNINFORMATION_ABCCLASSIFICATION 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLEGTIN 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLENUMBER 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 27

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_KIND 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_NAME 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ARTICLESUBGROUP_ATTR 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ASSETS 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_CBSNUMBER 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_DESCRIPTION 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_ID_ATTR 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_MANUFACTURERARTICLEGTIN 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_MANUFACTURERARTICLENUMBER 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_POSITION_ATTR 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_STATES_AVAILABLE_END_ATTR 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_STATES_AVAILABLE_START_ATTR 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_STATES_LIFETIME 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_STATES_STATE 27
PERSONALPROPERTIES_OWNINFORMATION_ARTICLE_TYPENUMBER 27

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

PERSONALPROPERTIES_OWNINFORMATION_OWNARTICLENUMBER 27
PERSONALPROPERTIES_OWNINFORMATION_OWNDESCRIPTION 27
PERSONALPROPERTIES_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER 27
PERSONALPROPERTIES_OWNINFORMATION_OWNSTATE 27
Position 5, 31, 47, 51, 54, 63, 71, 73, 80, 88, 95, 97, 104, 106, 108, 113
POSITION_ATTR 5, 31, 47, 51, 54, 63, 71, 73, 80, 88, 95, 97, 104, 106, 108, 113
pre-request-delay-ms 2
Price Base Quantity 43
Price List Name 43
PRICEBASEQUANTITY 43
PRICELISTNAME_ATTR 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLEGTIN 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLENUMBER 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIMVERSIONNUMBER_ATTR 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATIONID_ATTR 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATIONNAME_ATTR 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_KIND 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_NAME 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION 43

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE 43
PRODUCTDETAILPRICES_ARTICLE_ARTICLESUBGROUP_ATTR 43
PRODUCTDETAILPRICES_ARTICLE_ASSETS 43
PRODUCTDETAILPRICES_ARTICLE_CBSNUMBER 43
PRODUCTDETAILPRICES_ARTICLE_DESCRIPTION 43
PRODUCTDETAILPRICES_ARTICLE_ID_ATTR 43
PRODUCTDETAILPRICES_ARTICLE_MANUFACTURERARTICLEGTIN 43
PRODUCTDETAILPRICES_ARTICLE_MANUFACTURERARTICLENUMBER 43
PRODUCTDETAILPRICES_ARTICLE_OWNINFORMATION_ABCCLASSIFICATION 43
PRODUCTDETAILPRICES_ARTICLE_OWNINFORMATION_OWNARTICLENUMBER 43
PRODUCTDETAILPRICES_ARTICLE_OWNINFORMATION_OWNDESCRIPTION 43
PRODUCTDETAILPRICES_ARTICLE_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER 43
PRODUCTDETAILPRICES_ARTICLE_OWNINFORMATION_OWNSTATE 43
PRODUCTDETAILPRICES_ARTICLE_POSITION_ATTR 43
PRODUCTDETAILPRICES_ARTICLE_STATES_AVAILABLE_END_ATTR 43
PRODUCTDETAILPRICES_ARTICLE_STATES_AVAILABLE_START_ATTR 43
PRODUCTDETAILPRICES_ARTICLE_STATES_LIFETIME 43
PRODUCTDETAILPRICES_ARTICLE_STATES_STATE 43
PRODUCTDETAILPRICES_ARTICLE_TYPENUMBER 43
PROPERTY 27, 90
PROPERTY_HEADER_ATTR 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLEGTIN 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLENUMBER 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 19

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_KIND 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_NAME 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLEFIRST_ATTR 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLELAST_ATTR 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ARTICLESUBGROUP_ATTR 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ASSETS 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_CBSNUMBER 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_DESCRIPTION 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_ID_ATTR 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_MANUFACTURERARTICLEGTIN 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_MANUFACTURERARTICLENUMBER 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_OWNINFORMATION_ABCCLASSIFICATION 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_OWNINFORMATION_OWNARTICLENUMBER 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_OWNINFORMATION_OWNDESCRIPTION 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_OWNINFORMATION_OWNSTATE 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_POSITION_ATTR 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_STATES_AVAILABLE_END_ATTR 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_STATES_AVAILABLE_START_ATTR 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_STATES_LIFETIME 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_STATES_STATE 19
PROPERTY_NORMALIZEDPROPERTIES_ARTICLE_TYPENUMBER 19
Receiver GLN 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101, 103, 104, 106, 108, 109, 111, 112, 113, 114, 116, 117
RECEIVERGLN_ATTR 117
RELATEDARTICLES_ARTICLE_ARTICLEGTIN 47
RELATEDARTICLES_ARTICLE_ARTICLENUMBER 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 47

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONATTR 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSIONATTR 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_KIND 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_NAME 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 47
RELATEDARTICLES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE 47
RELATEDARTICLES_ARTICLE_ARTICLESUBGROUP_ATTR 47
RELATEDARTICLES_ARTICLE_ASSETS 47
RELATEDARTICLES_ARTICLE_CBSNUMBER 47
RELATEDARTICLES_ARTICLE_DESCRIPTION 47
RELATEDARTICLES_ARTICLE_ID_ATTR 47
RELATEDARTICLES_ARTICLE_MANUFACTURERARTICLEGTIN 47
RELATEDARTICLES_ARTICLE_MANUFACTURERARTICLENUMBER 47
RELATEDARTICLES_ARTICLE_OWNINFORMATION_ABCCLASSIFICATION 47
RELATEDARTICLES_ARTICLE_OWNINFORMATIONOWNARTICLENUMBER 47
RELATEDARTICLES_ARTICLE_OWNINFORMATIONOWNDESCRIPTION 47
RELATEDARTICLES_ARTICLE_OWNINFORMATIONOWNPURCHASECOMBINATIONNUMBER 47

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

RELATEDARTICLES_ARTICLE_OWNINFORMATION_OWNSTATE 47
RELATEDARTICLES_ARTICLE_POSITION_ATTR 47
RELATEDARTICLES_ARTICLE_STATES_AVAILABLE_END_ATTR 47
RELATEDARTICLES_ARTICLE_STATES_AVAILABLE_START_ATTR 47
RELATEDARTICLES_ARTICLE_STATES_LIFETIME 47
RELATEDARTICLES_ARTICLE_STATES_STATE 47
RELATEDARTICLES_ARTICLE_TYPENUMBER 47
RELATEDARTICLES_OWNINFORMATION_ABCCLASSIFICATION 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLEGTIN 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLENUMBER 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_KIND 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_NAME 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM 31

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ARTICLESUBGROUP_ATTR 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ASSETS 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_CBSNUMBER 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_DESCRIPTION 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_ID_ATTR 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_MANUFACTURERARTICLEGTIN 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_MANUFACTURERARTICLENUMBER 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_POSITION_ATTR 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_STATES_AVAILABLE_END_ATTR 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_STATES_AVAILABLE_START_ATTR 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_STATES_LIFETIME 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_STATES_STATE 31
RELATEDARTICLES_OWNINFORMATION_ARTICLE_TYPENUMBER 31
RELATEDARTICLES_OWNINFORMATION_OWNARTICLENUMBER 31
RELATEDARTICLES_OWNINFORMATION_OWNDESCRIPTION 31
RELATEDARTICLES_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER 31
RELATEDARTICLES_OWNINFORMATION_OWNSTATE 31
RELATION_ATTR 117
RELATIONGLN_ATTR 117
requested-page-size 2
requests-parallel-max 2
result-set-memory-cache 2
SELECTION 35
SELECTIONS_OWNINFORMATION_ABCCLASSIFICATION 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLEGTIN 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLENUMBER 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR 35

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ETIM_CODE_ATTR 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_KIND 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_NAME 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE 35
SELECTIONS_OWNINFORMATION_ARTICLE_ARTICLESUBGROUP_ATTR 35
SELECTIONS_OWNINFORMATION_ARTICLE_ASSETS 35
SELECTIONS_OWNINFORMATION_ARTICLE_CBSNUMBER 35
SELECTIONS_OWNINFORMATION_ARTICLE_DESCRIPTION 35
SELECTIONS_OWNINFORMATION_ARTICLE_ID_ATTR 35
SELECTIONS_OWNINFORMATION_ARTICLE_MANUFACTURERARTICLEGTIN 35
SELECTIONS_OWNINFORMATION_ARTICLE_MANUFACTURERARTICLENUMBER 35
SELECTIONS_OWNINFORMATION_ARTICLE_POSITION_ATTR 35
SELECTIONS_OWNINFORMATION_ARTICLE_STATES_AVAILABLE_END_ATTR 35
SELECTIONS_OWNINFORMATION_ARTICLE_STATES_AVAILABLE_START_ATTR 35
SELECTIONS_OWNINFORMATION_ARTICLE_STATES_LIFETIME 35
SELECTIONS_OWNINFORMATION_ARTICLE_STATES_STATE 35
SELECTIONS_OWNINFORMATION_ARTICLE_TYPENUMBER 35
SELECTIONS_OWNINFORMATION_OWNARTICLENUMBER 35
SELECTIONS_OWNINFORMATION_OWNDESCRIPTION 35
SELECTIONS_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER 35
SELECTIONS_OWNINFORMATION_OWNSTATE 35
Sender GLN 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101, 103, 104, 106, 108, 109, 111, 112, 113, 114, 116, 117
SENDERGLN_ATTR 117
Separator 80
SEPARATOR_ATTR 80
slot-based-rate-limit-length-ms 2
slot-based-rate-limit-slots 2
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 90

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ASSETS 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_BRAND 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_ID_ATTR 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_KIND 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_LEGACYID_ATTR 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_MANUFACTURERGLN 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_NAME 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_POSITION_ATTR 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_STATES_BLUEPENCIL 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_STATES_CLASSIFICATION 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_STATES_CONFIRM 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_STATES_LIFETIME 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_STATES_PRODUCTION 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_SUPPLIER_GLN_ATTR 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_SUPPLIER_ID_ATTR 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_SUPPLIER_NAME_ATTR 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 90
SPECIFICATIONPROPERTIES_ARTICLEGROUP_TEMPLATE 90
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 92
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 92
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 92
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 92
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 92
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 92
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 92
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 92

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 92
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 92
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 92
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 92
SPECIFICATIONS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR 92
SPECIFICATIONS_ARTICLEGROUP_ASSETS 92
SPECIFICATIONS_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 92
SPECIFICATIONS_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR 92
SPECIFICATIONS_ARTICLEGROUP_BRAND 92
SPECIFICATIONS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 92
SPECIFICATIONS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 92
SPECIFICATIONS_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 92
SPECIFICATIONS_ARTICLEGROUP_ID_ATTR 92
SPECIFICATIONS_ARTICLEGROUP_KIND 92
SPECIFICATIONS_ARTICLEGROUP_LEGACYID_ATTR 92
SPECIFICATIONS_ARTICLEGROUP_MANUFACTURERGLN 92
SPECIFICATIONS_ARTICLEGROUP_NAME 92
SPECIFICATIONS_ARTICLEGROUP_POSITION_ATTR 92
SPECIFICATIONS_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 92
SPECIFICATIONS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 92
SPECIFICATIONS_ARTICLEGROUP_STATES_BLUEPENCIL 92
SPECIFICATIONS_ARTICLEGROUP_STATES_CLASSIFICATION 92
SPECIFICATIONS_ARTICLEGROUP_STATES_CONFIRM 92
SPECIFICATIONS_ARTICLEGROUP_STATES_LIFETIME 92
SPECIFICATIONS_ARTICLEGROUP_STATES_PRODUCTION 92
SPECIFICATIONS_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 92
SPECIFICATIONS_ARTICLEGROUP_SUPPLIER_GLN_ATTR 92
SPECIFICATIONS_ARTICLEGROUP_SUPPLIER_IDATTR 92
SPECIFICATIONS_ARTICLEGROUP_SUPPLIER_NAME_ATTR 92
SPECIFICATIONS_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 92
SPECIFICATIONS_ARTICLEGROUP_TEMPLATE 92
SPLITMODE_ATTR 101
standardize-identifiers 2
standardize-identifiers-casing 2
State Available First 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 90, 92, 95, 97, 101
State Available Last 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 90, 92, 95, 97, 101
State Classification 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101
State Confirm 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101
State Edit 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101
State Life Time 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101
State Production 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101
State State 51
STATES_AVAILABLE_END_ATTR 51
STATES_AVAILABLE_FIRST_ATTR 88
STATES_AVAILABLE_LAST_ATTR 88
STATES_AVAILABLE_START_ATTR 51
STATES_BLUEPENCIL 88
STATES_CLASSIFICATION 88
STATES_CONFIRM 88
STATES_LIFETIME 51, 88
STATES_PRODUCTION 88
STATES_STATE 51
Sub Group 51
Supplier Data Provider GLN 88
Supplier GLN 88
Supplier ID 88
Supplier Name 88
Supplier Purchase Combination GLN 88
SUPPLIER_DATAPROVIDERGLN_ATTR 88
SUPPLIER_GLN_ATTR 88
SUPPLIER_ID_ATTR 88
SUPPLIER_NAME_ATTR 88
SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 88

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 101
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 101
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 101
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 101
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 101
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 101
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 101
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 101
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 101
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 101
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 101
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 101
SUPPLIERHEADERS_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR 101
SUPPLIERHEADERS_ARTICLEGROUP_ASSETS 101
SUPPLIERHEADERS_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 101
SUPPLIERHEADERS_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR 101
SUPPLIERHEADERS_ARTICLEGROUP_BRAND 101
SUPPLIERHEADERS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 101
SUPPLIERHEADERS_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 101
SUPPLIERHEADERS_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 101
SUPPLIERHEADERS_ARTICLEGROUP_ID_ATTR 101
SUPPLIERHEADERS_ARTICLEGROUP_KIND 101
SUPPLIERHEADERS_ARTICLEGROUP_LEGACYID_ATTR 101
SUPPLIERHEADERS_ARTICLEGROUP_MANUFACTURERGLN 101
SUPPLIERHEADERS_ARTICLEGROUP_NAME 101
SUPPLIERHEADERS_ARTICLEGROUP_POSITION_ATTR 101
SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 101
SUPPLIERHEADERS_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 101
SUPPLIERHEADERS_ARTICLEGROUP_STATES_BLUEPENCIL 101
SUPPLIERHEADERS_ARTICLEGROUP_STATES_CLASSIFICATION 101
SUPPLIERHEADERS_ARTICLEGROUP_STATES_CONFIRM 101
SUPPLIERHEADERS_ARTICLEGROUP_STATES_LIFETIME 101
SUPPLIERHEADERS_ARTICLEGROUP_STATES_PRODUCTION 101
SUPPLIERHEADERS_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 101
SUPPLIERHEADERS_ARTICLEGROUP_SUPPLIER_GLN_ATTR 101
SUPPLIERHEADERS_ARTICLEGROUP_SUPPLIER_ID_ATTR 101
SUPPLIERHEADERS_ARTICLEGROUP_SUPPLIER_NAME_ATTR 101
SUPPLIERHEADERS_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 101
SUPPLIERHEADERS_ARTICLEGROUP_TEMPLATE 101
SUPPLIERPROPERTIES_ARTICLE_ARTICLEGTIN 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLENUMBER 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 59

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATIONNAME_ATTR 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_KIND 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_NAME 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE 59
SUPPLIERPROPERTIES_ARTICLE_ARTICLESUBGROUP_ATTR 59
SUPPLIERPROPERTIES_ARTICLE_ASSETS 59
SUPPLIERPROPERTIES_ARTICLE_CBSNUMBER 59
SUPPLIERPROPERTIES_ARTICLE_DESCRIPTION 59
SUPPLIERPROPERTIES_ARTICLE_ID_ATTR 59
SUPPLIERPROPERTIES_ARTICLE_MANUFACTURERARTICLEGTIN 59
SUPPLIERPROPERTIES_ARTICLE_MANUFACTURERARTICLENUMBER 59
SUPPLIERPROPERTIES_ARTICLE_OWNINFORMATION_ABCCLASSIFICATION 59
SUPPLIERPROPERTIES_ARTICLE_OWNINFORMATION_OWNARTICLENUMBER 59
SUPPLIERPROPERTIES_ARTICLE_OWNINFORMATION_OWNDESCRIPTION 59
SUPPLIERPROPERTIES_ARTICLE_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER 59
SUPPLIERPROPERTIES_ARTICLE_OWNINFORMATION_OWNSTATE 59
SUPPLIERPROPERTIES_ARTICLE_POSITION_ATTR 59
SUPPLIERPROPERTIES_ARTICLE_STATES_AVAILABLE_END_ATTR 59
SUPPLIERPROPERTIES_ARTICLE_STATES_AVAILABLE_START_ATTR 59
SUPPLIERPROPERTIES_ARTICLE_STATES_LIFETIME 59

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

SUPPLIERPROPERTIES_ARTICLE_STATES_STATE 59
SUPPLIERPROPERTIES_ARTICLE_TYPENUMBER 59
SYNONYM 39, 109, 114
SYNONYMS_EC_CODE_ATTR 114
SYNONYMS_EC_DESCRIPTION 114
SYNONYMS_EC_EG_CODE_ATTR 114
SYNONYMS_EC_EG_DESCRIPTION 114
SYNONYMS_EC_EG_ETIM_VERSIONNUMBER_ATTR 114
SYNONYMS_EC_EG_ETIM_WEBSHOP_CLASSIFICATION_NAME_ATTR 114
SYNONYMS_EC_EG_ETIM_WEBSHOP_EXPORTSELECTIONNAME_ATTR 114
SYNONYMS_EC_EG_ETIM_WEBSHOP_LANGUAGE_ATTR 114
SYNONYMS_EC_EG_ETIM_WEBSHOP_RECEIVERGLN_ATTR 114
SYNONYMS_EC_EG_ETIM_WEBSHOP_RELATION_ATTR 114
SYNONYMS_EC_EG_ETIM_WEBSHOP_RELATIONGLN_ATTR 114
SYNONYMS_EC_EG_ETIM_WEBSHOP_SENDERGLN_ATTR 114
SYNONYMS_EC_EG_ETIM_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 114
SYNONYMS_EC_EG_ETIM_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 114
SYNONYMS_EC_EG_ETIM_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 114
SYNONYMS_EC_EG_ETIM_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 114
SYNONYMS_EC_EG_ETIM_WEBSHOP_VERSION_ATTR 114
SYNONYMS_NODE_ASSETS 109
SYNONYMS_NODE_BODY 109
SYNONYMS_NODE_CLASSIFICATION_NAME_ATTR 109
SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 109
SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_EXPORTSELECTIONNAME_ATTR 109
SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_LANGUAGE_ATTR 109
SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_RECEIVERGLN_ATTR 109
SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_RELATION_ATTR 109
SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_RELATIONGLN_ATTR 109
SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_SENDERGLN_ATTR 109
SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 109
SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 109
SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 109
SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 109
SYNONYMS_NODE_CLASSIFICATION_WEBSHOP_VERSION_ATTR 109
SYNONYMS_NODE_CODE_ATTR 109
SYNONYMS_NODE_DEPTH_ATTR 109
SYNONYMS_NODE_DESCRIPTION 109
SYNONYMS_NODE_ID_ATTR 109
SYNONYMS_NODE_NAME 109
SYNONYMS_NODE_OWNINFORMATION_BODY 109
SYNONYMS_NODE_OWNINFORMATION_DESCRIPTION 109
SYNONYMS_NODE_OWNINFORMATION_TITLE 109
SYNONYMS_NODE_PARENT_ATTR 109
SYNONYMS_NODE_POSITION_ATTR 109
SYNONYMS_NODE_TITLE 109
SYNONYMS_OWNINFORMATION_ABCCLASSIFICATION 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLEGTIN 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLENUMBER 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATION_ATTR 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 39

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSION_ATTR 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_KIND 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_NAME 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRSTATTR 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LASTATTR 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE 39
SYNONYMS_OWNINFORMATION_ARTICLE_ARTICLESUBGROUP_ATTR 39
SYNONYMS_OWNINFORMATION_ARTICLE_ASSETS 39
SYNONYMS_OWNINFORMATION_ARTICLE_CBSNUMBER 39
SYNONYMS_OWNINFORMATION_ARTICLE_DESCRIPTION 39
SYNONYMS_OWNINFORMATION_ARTICLE_ID_ATTR 39
SYNONYMS_OWNINFORMATION_ARTICLE_MANUFACTURERARTICLEGTIN 39
SYNONYMS_OWNINFORMATION_ARTICLE_MANUFACTURERARTICLENUMBER 39
SYNONYMS_OWNINFORMATION_ARTICLE_POSITION_ATTR 39
SYNONYMS_OWNINFORMATION_ARTICLE_STATES_AVAILABLE_END_ATTR 39
SYNONYMS_OWNINFORMATION_ARTICLE_STATES_AVAILABLE_START_ATTR 39
SYNONYMS_OWNINFORMATION_ARTICLE_STATES_LIFETIME 39
SYNONYMS_OWNINFORMATION_ARTICLE_STATES_STATE 39
SYNONYMS_OWNINFORMATION_ARTICLE_TYPENUMBER 39
SYNONYMS_OWNINFORMATION_OWNARTICLENUMBER 39
SYNONYMS_OWNINFORMATION_OWNDESCRIPTION 39

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

SYNONYMS_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER 39
SYNONYMS_OWNINFORMATION_OWNSTATE 39

- T -

Table Header 67, 90
TABLEHEADER_ATTR 67, 90
TABLEPROPERTIES_ARTICLE_ARTICLEGTIN 67
TABLEPROPERTIES_ARTICLE_ARTICLENUMBER 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_CLASSIFICATION_NAME_ATTR 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_ETIM_VERSIONNUMBER_ATTR 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_EXPORTSELECTIONNAME_ATTR 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_LANGUAGE_ATTR 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RECEIVERGLN_ATTR 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONATTR 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_RELATIONGLN_ATTR 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_SENDERGLN_ATTR 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ARTICLEGROUPS_WEBSHOP_VERSIONATTR 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ASSETS 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_SPECIFICATIONBULLETS_ATTR 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BLUEPENCILDATA_TRANSPOSED_ATTR 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_BRAND 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_ID_ATTR 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_CLASSIFICATION_NAME_ATTR 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_CLASSIFICATIONS_ETIM_ECCODE_ATTR 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_ID_ATTR 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_KIND 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_LEGACYID_ATTR 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_MANUFACTURERGLN 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_NAME 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_POSITION_ATTR 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_FIRST_ATTR 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_AVAILABLE_LAST_ATTR 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_BLUEPENCIL 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CLASSIFICATION 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_CONFIRM 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_LIFETIME 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_STATES_PRODUCTION 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_DATAPROVIDERGLN_ATTR 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_GLN_ATTR 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_ID_ATTR 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_NAME_ATTR 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_SUPPLIER_PURCHASECOMBINATIONGLN_ATTR 67
TABLEPROPERTIES_ARTICLE_ARTICLES_ARTICLEGROUP_TEMPLATE 67

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

TABLEPROPERTIES_ARTICLE_ARTICLESUBGROUP_ATTR 67
TABLEPROPERTIES_ARTICLE_ASSETS 67
TABLEPROPERTIES_ARTICLE_CBSNUMBER 67
TABLEPROPERTIES_ARTICLE_DESCRIPTION 67
TABLEPROPERTIES_ARTICLE_ID_ATTR 67
TABLEPROPERTIES_ARTICLE_MANUFACTURERARTICLEGTIN 67
TABLEPROPERTIES_ARTICLE_MANUFACTURERARTICLENUMBER 67
TABLEPROPERTIES_ARTICLE_OWNINFORMATION_ABCCLASSIFICATION 67
TABLEPROPERTIES_ARTICLE_OWNINFORMATION_OWNARTICLENUMBER 67
TABLEPROPERTIES_ARTICLE_OWNINFORMATION_OWNDESCRIPTION 67
TABLEPROPERTIES_ARTICLE_OWNINFORMATION_OWNPURCHASECOMBINATIONNUMBER 67
TABLEPROPERTIES_ARTICLE_OWNINFORMATION_OWNSTATE 67
TABLEPROPERTIES_ARTICLE_POSITION_ATTR 67
TABLEPROPERTIES_ARTICLE_STATES_AVAILABLE_END_ATTR 67
TABLEPROPERTIES_ARTICLE_STATES_AVAILABLE_START_ATTR 67
TABLEPROPERTIES_ARTICLE_STATES_LIFETIME 67
TABLEPROPERTIES_ARTICLE_STATES_STATE 67
TABLEPROPERTIES_ARTICLE_TYPENUMBER 67
TEMPLATE 88
TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 117
TEMPLATESETTINGS_DISPLAYSYNONYMS 117
TEMPLATESETTINGS_IMAGECOUNT 117
TEMPLATESETTINGS_PROPERTYCOUNT 117
Thumbnail (URL) 5, 54, 63, 71, 73, 97, 104
THUMBNAILURL 5, 54, 63, 71, 73, 97, 104
TITLE 108
TOSPECIFICATION_ATTR 80
Type 5, 23, 31, 47, 54, 63, 71, 73, 85, 92, 97, 103, 104, 113
Type Number 51
TYPE_ATTR 5, 23, 31, 47, 54, 63, 71, 73, 85, 92, 97, 103, 104, 113
TYPENUMBER 51

- U -

Unit 59, 85
Unit Category 59
Unit Description 59
UNIT_ATTR 59, 85
UNITOFMEASUREPRICEBASE 43
UOM Price Base 43
URL 5, 54, 63, 71, 73, 97, 104
use-metadata-memory-cache 2
use-result-memory-cache 2

- V -

VALUE 19, 59, 67
Version 5, 8, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 54, 59, 63, 67, 71, 73, 77, 80, 83, 85, 88, 90, 92, 95, 97, 101, 103, 104, 106, 108, 109, 111, 112, 113, 114, 116, 117
VERSION_ATTR 117

- W -

Webshop Article Group Article Assets 5
Webshop Article Group Article ETIM Feature Values 11
Webshop Article Group Article ETIM Features 8
Webshop Article Group Article Normalized Properties 15
Webshop Article Group Article Normalized Property Values 19
Webshop Article Group Article Own Free Fields 23
Webshop Article Group Article Own Personal Properties 27
Webshop Article Group Article Own Related Articles 31
Webshop Article Group Article Own Selections 35
Webshop Article Group Article Own Synonyms 39
Webshop Article Group Article Prices 43
Webshop Article Group Article Related Articles 47
Webshop Article Group Article Supplier Property Assets 54
Webshop Article Group Article Supplier Property Values 59
Webshop Article Group Article Table Property Assets 63
Webshop Article Group Article Table Property Values 67
Webshop Article Group Articles 51
Webshop Article Group Assets 71
Webshop Article Group Classifications 83
Webshop Article Group Edit Data Table Assets 73
Webshop Article Group Edit Data Table Grouped Headers 77
Webshop Article Group Edit Data Table Headers 80
Webshop Article Group Normalized Headers 85
Webshop Article Group Specification Properties 90

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.

Webshop Article Group Specifications 92
Webshop Article Group Sub Groups 95
Webshop Article Group Supplier Header Assets 97
Webshop Article Group Supplier Headers 101
Webshop Article Groups 88
Webshop Asset Categories 103
Webshop Classification Node Assets 104
Webshop Classification Node Personal Headers 106
Webshop Classification Node Synonyms 109
Webshop Classification Nodes 108
Webshop Classifications 111
Webshop ETIM Group Class Features 113
Webshop ETIM Group Class Synonyms 114
Webshop ETIM Group Classes 112
Webshop ETIM Groups 116
WEBSHOP_ETIM_VERSIONNUMBER_ATTR 111
WEBSHOP_EXPORTSELECTIONNAME_ATTR 111
WEBSHOP_LANGUAGE_ATTR 111
WEBSHOP_RECEIVERGLN_ATTR 111
WEBSHOP_RELATION_ATTR 111
WEBSHOP_RELATIONGLN_ATTR 111
WEBSHOP_SENDERGLN_ATTR 111
WEBSHOP_TEMPLATESETTINGS_CLASSIFICATIONMAXLEVEL 111
WEBSHOP_TEMPLATESETTINGS_DISPLAYSYNONYMS 111
WEBSHOP_TEMPLATESETTINGS_IMAGECOUNT 111
WEBSHOP_TEMPLATESETTINGS_PROPERTYCOUNT 111
WEBSHOP_VERSION_ATTR 111
WebshopArticleGroupArticleAssets 5
WebshopArticleGroupArticleEtimFeatures 8
WebshopArticleGroupArticleEtimFeatureValues 11
WebshopArticleGroupArticleNormalizedProperties 15
WebshopArticleGroupArticleNormalizedPropertyValues 19
WebshopArticleGroupArticleOwnFreeFields 23
WebshopArticleGroupArticleOwnPersonalProperties 27
WebshopArticleGroupArticleOwnRelatedArticles 31
WebshopArticleGroupArticleOwnSelections 35
WebshopArticleGroupArticleOwnSynonyms 39
WebshopArticleGroupArticleProductDetailPrices 43
WebshopArticleGroupArticleRelatedArticles 47
WebshopArticleGroupArticles 51
WebshopArticleGroupArticleSupplierPropertyAssets 54
WebshopArticleGroupArticleSupplierPropertyValues 59
WebshopArticleGroupArticleTablePropertyAssets 63
WebshopArticleGroupArticleTablePropertyValues 67
WebshopArticleGroupAssets 71
WebshopArticleGroupBluePencilDataTableAssets 73
WebshopArticleGroupBluePencilDataTableGroupHeaders 77
WebshopArticleGroupBluePencilDataTableHeaders 80
WebshopArticleGroupClassifications 83
WebshopArticleGroupNormalizedHeaders 85
WebshopArticleGroups 88
WebshopArticleGroupSpecificationProperties 90
WebshopArticleGroupSpecifications 92
WebshopArticleGroupSubGroups 95
WebshopArticleGroupSupplierHeaderAssets 97
WebshopArticleGroupSupplierHeaders 101
WebshopAssetCategories 103
WebshopClassificationNodeAssets 104
WebshopClassificationNodePersonalHeaders 106
WebshopClassificationNodes 108
WebshopClassificationNodeSynonyms 109
WebshopClassifications 111
WebshopEtimGroupClasses 112
WebshopEtimGroupClassFeatures 113
WebshopEtimGroupClassSynonyms 114
WebshopEtimGroups 116
Webshops 117

- X -

xml-directories 2
xml-extension 2
xml-namespaces 2

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.



Invantive B.V.
Biesteweg 11
3849 RD Hierden
Nederland

Tel: +31 88 00 26 500
Fax: +31 84 22 58 178
info@invantive.nl
invantive.nl

IBAN NL25 BUNQ 2098 2586 07
Kamer van Koophandel 13031406
BTW NL812602377B01
RSIN 8122602377
Algemeen Directeur: Guido Leenders
Statutaire zetel: Roermond

(C) Copyright 2004-2025 Invantive Software B.V., Nederland. Alle rechten voorbehouden.
24.0.92
29/06/2026, 21:12
ISBN 978-94-6302-000-8: