SQL Server data model for use with Invantive UniversalSQL

Release - · 01-11-2026

Tables without relations

Invantive

- Collections
- DataSourceInformation
- DataTypes
- PooledConnections
- Restrictions

master dbo

- spt_fallback_db
- spt_fallback_dev
- spt_fallback_usg
- spt_monitor
- spt_values

Native

- NATIVEPLATFORMSCALARREQUESTS

msdb dbo

- autoadmin_backup_configuration_summary
- backupfile
- backupmediafamily
- backupmediaset
- backupset
- dm_hadr_automatic_seeding_history
- logmarkhistory
- restorefile
- restorefilegroup
- restorehistory
- suspect_pages
- sysdac_instances
- syspolicy_conditions
- syspolicy_configuration
- syspolicy_object_sets
- syspolicy_policies
- syspolicy_policy_categories
- syspolicy_policy_category_subscriptions
- syspolicy_policy_execution_history
- syspolicy_policy_execution_history_details
- syspolicy_system_health_state
- syspolicy_target_set_levels
- syspolicy_target_sets

SQL Server

Notes

This data model declares no keys yet; the dotted relations are derived from column names.

Data dictionary

Every table and column of this data model is described with its documentation on documentation.invantive.eu, where the poster is also available in other languages.

Notes

The boxes are grouped by topic and coloured by category. A relation is drawn in the topic of the table holding the key; a box in pale grey is defined in another topic.

Notes

20 objects of technical metadata are left out.

Topics

Tables without relations 1

Legend

Transactional
Technical
Defined in another topic
Setup
Hard-coded values

Declared key
Relation described in words
Candidate derived from column names

Bold: a popular table
+Bulk, +Read: the table also exists as these variants
×n: n relations between the same tables

Generated from the metadata of Invantive UniversalSQL - on 01-11-2026. Every table links to its page with columns, keys and sample queries.

documentation.invantive.eu/en/datamodels/sqlserver