

Freshservice Modello di dati da utilizzare con Invantive UniversalSQL

Comunicato 24.0.491-PROD+5130 · 11-12-2024

Freshservice · Departments



Freshservice · Workspaces



CodeValues

- ApplicationStatuses
- ApplicationTypes
- ApprovalStatuses
- ApprovalTypes
- AssetImpacts
- AssetUsageTypes
- BackgroundJobStatuses
- ChangeImpacts
- ChangePriorities
- ChangeRisks
- ChangeStatuses
- ChangeTypes
- ConversationSourceTypes
- CustomFieldTypes
- LookupDatasources
- OffboardingRequestStatuses
- OnboardingRequestStatuses
- ProductProcurementModes
- ProductStatuses
- ProjectPriorities
- ProjectStatuses
- ProjectTypes
- ProjectVisibilities
- ServiceRequestStages
- SolutionFolderVisibilities
- TicketPriorities
- TicketSourceTypes
- TicketStatuses

Freshservice

- AgentGroupMembers
- AssetTypes
- BusinessHourHolidays
- CABs
- ContractTypes
- ProblemFormFieldChoices
- ProjectTemplates
- ProjectsNewGen
- RelationshipTypes
- Relationships
- RequesterGroups
- StatisticsIncremental

Native

- NATIVEPLATFORMSCALARREQUESTS

Visualizzazioni

- RequesterGroupMembers

Freshservice

Authentication Authentication can be done using one of the following two alternatives: 1. Using the user log on code, password and company also used on the Freshservice website. 2. Using an API key and company. Authentication using user log on code and password is recommended for general use. The company is the name before '.freshservice.com' in the URL

Note

Questo modello di dati non dichiara ancora alcuna chiave; le relazioni indicate da punti derivano dai nomi delle colonne.

Dizionario dei dati

Ogni tabella e colonna di questo modello di dati è descritta nella relativa documentazione disponibile su documentation.invantive.eu, dove il poster è disponibile anche in altre lingue.

Note

Le box sono raggruppate per argomento e contrassegnate da colori diversi a seconda della categoria. Nel nodo della tabella che contiene la chiave viene tracciata una relazione; in un altro nodo viene definito un Box di colore grigio chiaro.

Argomenti

Freshservice · Departments	1	**Tabella senza relazioni**	1
Freshservice · Workspaces	1		

Leggenda

- Transazionale
- Installazione
- Aspetti tecnici
- Valori hardcoded
- Descritto in un altro argomento
- Chiave dichiarata
- Relazione descritta a parole
- Candidato derivato dai nomi delle colonne

In grassetto: una tabella molto diffusa
+Bulk, +Read: la tabella è disponibile anche in queste varianti
\u00D7n: n chiavi tra le stesse tabelle

Generato dai metadati di Invantive UniversalSQL 24.0.491-PROD+5130 il 11-12-2024. Ogni tabella rimanda alla relativa pagina con le colonne, le chiavi e le Query di esempio.

documentation.invantive.eu/it/datamodels/freshservice